		WATE	ER WELL RECOR	RD Form WW	/C-5 KSA 8	2a-1212		D		
OCATION OF WA		Fraction			Section Numb			Range N		
nty: PP	ratt	1 <b>%</b> E 1/2	4 NW 1/4 address of well if	NW 1/4	<b>*</b> 8	↑ 7 27	S	R 11	E(W)	
ance and direction		-		located within ci	ty?					
	2 1/2 S	. of Pre	sten, Ks.							
WATER WELL O	TODO		nline							
#, St. Address, Bo			((===				•	ivision of Wat	er Resource	
, State, ZIP Code					- 1844/8F a. 15		on Number: $f T$			
OCATE WELL'S	LOCATION WITH	4 DEPTH OF (	COMPLETED WE	LL80	ft. ELE	VATION:				
N "X" IN SECTIO	N BOX.	Depth(s) Ground	dwater Encountered	ed 1	ff	. 2	ft. 3.		ft.	
!		WELL'S STATION	C WATER LEVEL	44	ft. below land	surface measured o	on mo/day/yr			
<del>X</del>  w		Pum	np test data: Wel	ll water was	ft.	after	hours pur	nping	gpm	
	1 1 1					after	•			
,,, L i		Bore Hole Diam	neter9i	in. to		., and	in.	to $\dots$	<b>.</b>	
w		WELL WATER	TO BE USED AS		vater supply			njection well		
1 1	SE	1 Domestic	3 Feedlot	🕏 Oil field	water supply	9 Dewatering	12 (	Other (Specify	below)	
sw	%	2 Irrigation	4 Industria	al 7 Lawn a	nd garden only	10 Observation	vell			
i		Was a chemical	/bacteriological sa	mple submitted t	o Department?	YesNo	x; If yes,	mo/day/yr san	nple was sub	
	\$	mitted			V	Vater Well Disinfed	ted? Yes	No	Х	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Cc	ncrete tile	CASING J	OINTS: Glued	. <b>x</b> Clam	ped	
1 Steel	3 RMP (S	R)	6 Asbestos-Cer	ment 9 Ot	her (specify be	low)	Welde	d		
∕ <b>Ž</b> , PVC	4 ABS							ded		
ink casing diamete	r5	.in. to 70	ft., Dia	in	. to	ft., Dia	i	n. to	ft.	
sing height above	land surface	1.8	in., weight		lb	s./ft. Wall thickness	or gauge No	)		
PE OF SCREEN (	OR PERFORATIO	N MATERIAL:		ХŽ	PVC	10 A	sbestos-ceme	nt		
1 Steel	1 Steel 3 Stainless steel			5 Fiberglass 8 RMP (SR)			11 Other (specify)			
2 Brass	2 Brass 4 Galvanized steel			9	ABS	12 N	one used (ope	en hole)		
REEN OR PERFO			5	Gauzed wrappe	d	8 Saw cut		11 None (ope	en hole)	
1 Continuous sl		lill slot	6	Wire wrapped		9 Drilled holes	3			
2 Louvered shu	tter 4 K	ey punched		Torch cut		10 Other (spec	• /			
REEN-PERFORAT	TED INTERVALS:		, -	• •		rom				
						rom				
GRAVEL PA	ACK INTERVALS:	From				rom				
		From	ft.	to	ft., F	rom	ft. to	)	ft.	
GROUT MATERIA	L: X1 Neat of	cement	2 Cement grout	3 B		4 Other				
						ft., From .				
at is the nearest s	source of possible	contamination:			10 Liv	estock pens	14 At	andoned water	er well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well		l	
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage			her (specify b	•	
_	wer lines 6 Seep	age pit	9 Feedy	ard		ecticide storage	nene	<i>.</i>		
ection from well?	T	1 171 101 0010				nany feet?				
ROM TO		LITHOLOGIC	LOG	FROM	M TO		LITHOLOGI	C LOG		
4 - 3	Tep se	11								
25	Clay									
80	Gravel		AL AUGUSTA							
	<b> </b>									
			A.L.A.							
	1									
			YM/							
							A46.0 TH			
				1						
						constructed, or (3)				
npleted on (mo/day	y/year) 8.	-2488		<i></i> . <del></del>	. and this re	cord is true to the b	est of my kno	wledge and be		
pleted on (mo/day	y/year) 8.	-2488		<i></i> . <del></del>	. and this re was complete	cord is true to the t d on (mo/day/yr)	pest of my kno	wledge and be	elief. Kansas	
npleted on (mo/day ter Well Contractor er the business na	y/year) 8 r's License No ame of Sam <sup>†</sup> :	-24-88 - 462 <b>s</b> Water W	This Wa	ater Well Record	. and this re was complete by (sign	cord is true to the b d on (mo/day/yr) nature)	pest of my kno Ran	wledge and be	elief. Kansas	
pleted on (mo/day er Well Contractor er the business na ISTRUCTIONS: Use	y/year) 8- r's License No ame of Sam typewriter or ball poin	-24-88 462 <b>s Water W</b> it pen. <i>PLEASE PRE</i>	This Wallell	ater Well Record	. and this re was complete by (sign Ill in blanks, under	cord is true to the t d on (mo/day/yr)	nest of my kno 9- 9- 9- 9- 9- 9- 9- 9- 9- 9- 9- 9- 9-	wledge and be 1.3-88	elief. Kansas	