WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction | | on number | Township number | Range number | | | | | | | | | |
|--|--|---------------------------|----|---------------|--|-------------------------|--|-------------------------------|-----------|--|----|------|---|--|--|
| 1. Location of well: | Pratt | 1/4 cnw1/4 ne1 | /4 | 22 | т 27 s | R llw | E/W | | | | | | | | |
| 2. Distance and direction from nearest town or city: 3. Owner of well: Un | | | | | nion Drlg Co. | | | | | | | | | | |
| Cairo. Ks. City, state, zip code: Wichita, Ks. 67202 | | | | | | | | | | | | | | | |
| 4. Locate with "X" in section below: Sketch map: | | | | | 6. Bore hole dia. 8 in. Completion date Well depth 165 ft. 1-30-78 | | | | | | | | | | |
| ₹ NW NE | | | | | 7Cable tool X_ Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary 8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn X_ Oil field water Other 9. Casing: Material Height: Above conditioning Stock Lawn Y_ Oil field water Other 9. Casing: Material Height: Above conditioning Surface 12 in. RMP PVC X_ Weight 2.8_ lbs./ft. | | | | | | | | | | |
| | | | | | | | | l | Aile ———— | Dia. 5 in. t. 165 ft. depth! Wall Thickness: inshes or | | | | | |
| | | | | | | | | 5. Type and color of material | | | | n To | Dia in. to ft. depth gage NoSCN 40 | | |
| | | | | | | | | Top Soil-Clay | | | 0 | 40 | Jetstream Type DVC Dia. 5" | | |
| | | | | | | | | Sandy Clay | | | 40 | 78 | Slot/gauze 1/32" Length 40" Set between 125 ft. and 165 ft. | | |
| Sand | | | 78 | 3 92 | Gravel pack? X Size range of materiat 18-3/4 | | | | | | | | | | |
| Calay | | | 92 | 1 | 11. Static water level: | mo./ | day/yr. | | | | | | | | |
| | | | | | 74 ft. below land sur | | <u>10-7</u> 8 | | | | | | | | |
| Sand-Gravel | | | 1. | <u> 15165</u> | ft. after | nrs. pumping | I | | | | | | | | |
| | | | | - | ft. after l Estimated maximum yield | 100 | g.p.m. | | | | | | | | |
| | | | | | 13. Water sample submitted: Yes No | mo./ Date | /day/yr. | | | | | | | | |
| | | | | | 14. Well head completion: | 12 | | | | | | | | | |
| | | | | | Pitless adapter 15. Well grouted? | 12 Inches above gr | rade | | | | | | | | |
| | | | | | With: Neat cement X Bentonite Concrete | | | | | | | | | | |
| | | | | | 16. Negrest source of possible | contaminatio Qil | est | | | | | | | | |
| | | | | | ft. 25 Direction S Well disinfected upon comple | | X No 1 | | | | | | | | |
| | | | | | 17. Pump: Manufacturer's name | Foulds | | | | | | | | | |
| | | 1000 | | | Model number <u>utm</u> Length of drop pipe <u>12</u> | _ HP <u>3</u> Volts | 230 | | | | | | | | |
| | | | | | Туре: | , , | ,,,,,,, | | | | | | | | |
| | | | | | | Turbine | ating 5 | | | | | | | | |
| 18. Elevation: | (Use a second sh | eet it needed) | | | Centrifugal 20. Water well contractor's of | Other | ~\^\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | | | | | | | |
| | | | | | This well was drilled under mi | urisdiction and this re | | | | | | | | | |
| Topography: Hill | | | | | Kellys Water | well Ser 1 | 86 ≥10 | | | | | | | | |
| Slope | | | | | Business name Address 2 Great | Bend, Ks | nse No. = 6 | | | | | | | | |
| XUpland Valley | | | | | Signed Authorized rep | resentative Daß= | 29-129 | | | | | | | | |
| Forward the white, ble | ue and pink copies to the Department o | of Health and Environment | | | | Form WWC | :-5 | | | | | | | | |