

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID


LOCATION OF WATER WELL:

County: Pratt Fraction 1/4 SW 1/4 NW 1/4 NE Section Number 14 Township Number T 27 S Range Number R 11 E W

WELL OWNER: Last Name: Crick First: Jack
 Business: 329 N. Stadium St.
 Address: Cunningham State: KS ZIP: 67035

Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
2 1/2 W. Cunningham

LOCATE WELL WITH "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 96 ft.
 Depth(s) Groundwater Encountered: 1) 43 ft.
 2) 43 ft. 3) 8-15-19 ft. or 4) Dry Well
WELL'S STATIC WATER LEVEL: 43 ft.
 below land surface, measured on (mo-day-yr)
 above land surface, measured on (mo-day-yr)
 Pump test data: Well water was 2.0 gpm after 10 hours pumping
 Well water was 3.2 gpm after 37 hours pumping
 Estimated Yield: 2.0 gpm
 Bore Hole Diameter: 10 in. to 37 ft. and 96 ft.

5 Latitude: (decimal degrees)
Longitude: (decimal degrees)
 Horizontal Datum: WGS 84 NAD 83 NAD 27
 Source for Latitude/Longitude:
 GPS (unit make/model:)
 (WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper:
6 Elevation: ft. Ground Level TOC
 Source: Land Survey GPS Topographic Map
 Other

WELL WATER TO BE USED AS:

- Domestic:
 - Household
 - Lawn & Garden
 - Livestock
 - Irrigation
 - Feedlot
 - Industrial
- Public Water Supply: well ID
- Dewatering: how many wells?
- Aquifer Recharge: well ID
- Monitoring: well ID
- Environmental Remediation: well ID
 - Air Sparge Soil Vapor Extraction
 - Recovery Injection
- Oil Field Water Supply: lease
- Test Hole: well ID
 - Cased Uncased Geotechnical
- Geothermal: how many bores?
 - a) Closed Loop Horizontal Vertical
 - b) Open Loop Surface Discharge Inj. of Water
- Other (specify):

Is a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

TYPE OF CASING USED: Steel PVC Other **CASING JOINTS:** Glued Clamped Welded Threaded
 Casing diameter: 5 in. to 96 ft., Diameter 160 in. to ft., Diameter in. to ft.
 Casing height above land surface: 24 in. Weight 160 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel Fiberglass PVC Other (Specify)
 Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 80 ft. to 96 ft., From 37 ft. to 96 ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 20 ft. to 37 ft., From 37 ft. to 96 ft., From ft. to ft.

ROUT MATERIAL: Neat cement Cement grout Bentonite Other
 Material Intervals: From 0 ft. to 20 ft., From 37 ft. to 37 ft., From ft. to ft.

Next source of possible contamination:
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)
 Distance from well? 5 ft. 40 ft.

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	2	Soil - Sandy			
2	5	Brown Clay			
5	19	Sand			
19	22	Red Clay			
22	52	White Clay			
52	95	Sample			
95	96	Red Shale			

Notes:
 Contractor's or Landowner's Certification: This water well was constructed, reconstructed, or plugged or my jurisdiction and was completed on (mo-day-yr) 8-15-19 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 140. This Water Well Record was completed on (mo-day-yr) 9-5-19.
 Signature: John Lyman