

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Pratt</u>	<u>SW</u> ¼ <u>SW</u> ¼ <u>NW</u> ¼	<u>14</u>	<u>T</u> <u>27</u> <u>S</u>	<u>R</u> <u>12</u> <u>EW</u>

Distance and direction from nearest town or city street address of well if located within city?
4 south 2½ west of Preston, Ks.

2 WATER WELL OWNER: Ramblin Rose Ranch
 RR#, St. Address, Box # : 60176 NE 15th St.
 City, State, ZIP Code : Pratt, Ks. 67124

Board of Agriculture, Division of Water Resources
 Application Number: 43,269

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL... <u>106</u> ft. ELEVATION:
--	--

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL ... 25 ft. below land surface measured on mo/day/yr ... 4-2-99

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield .. 300 ... gpm: Well water was ... 72 ... ft. after ... 7 ... hours pumping ... 300 ... gpm

Bore Hole Diameter. ... 28 ... in. to ... 105 ... ft., and ... in. to ... ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yrs sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	CASING JOINTS: Glued. . . <input checked="" type="checkbox"/> . . . Clamped.
2 PVC	4 ABS	7 Fiberglass		Welded
				Threaded.

Blank casing diameter ... 16 in. to ... 66 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface. ... 12 in., weight Schedule 40 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From. 66 ft. to ... 105 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From. 105 ft. to ... 20 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ... hole plug

Grout Intervals: From. 20 ft. to ... 0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Top soil			
5	25	Sand & gravel loose			
25	48	Brown & white clay			
48	51	Rusty brown clay			
51	56	Yellow brown & white clay			
56	64	Fine sand & gravel, clay mixed			
64	105	Sand & gravel medium clean loose			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-23-00 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 134 This Water Well Record was completed on (mo/day/yr) ... 6-28-00 under the business name of Rosencrantz-Bemis by (signature)