

1] LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Pratt	SW ¼ SW ¼ NW ¼	14	T 27 S	R 12 EW

Distance and direction from nearest town or city street address of well if located within city?
 4 south 2½ west of Preston, Ks.

2] WATER WELL OWNER: Ramblin Rose Ranch
 RR#, St. Address, Box # : 60176 NE 15th St.
 City, State, ZIP Code : Pratt, Ks. 67124
 Board of Agriculture, Division of Water Resources
 Application Number:

3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4] DEPTH OF COMPLETED WELL: 109 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL . . . 63 ft. below land surface measured on mo/day/yr . . . 6-23-00 Pump test data: Well water was ft. after hours pumping gpm Est. Yield . . . NA gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter. . . . 5½ . . . in. to 109 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well observation Was a chemical/bacteriological sample submitted to Department? Yes . . . X . No ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No . . . X .

5] TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	CASING JOINTS: Glued. . . X . . . Clamped.
2 PVC	4 ABS	7 Fiberglass		Welded
				Threaded.

Blank casing diameter . . . 2½ in. to . . . 104 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface. . . . 24 in., weight SDR-26 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	ft.

SCREEN-PERFORATED INTERVALS: From . . . 104 ft. to . . . 109 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From . . . 109 ft. to . . . 20 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6] GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other . . . hole plug

Grout Intervals: From . . . 20 ft. to . . . 0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Top soil			
3	10	Fine sand & clay			
10	30	Sand & gravel clean, coarse, loose			
30	70	Soft beach & gray clay, sand mixed			
70	109	Sand & gravel clean, coarse, loose			

7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-28-00 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 134 This Water Well Record was completed on (mo/day/yr) . . . 6-30-00 under the business name of Rosencrantz-Bemis by (signature) *Judith Radson*