WATE	R WEI	LL RECORD	Form W	WC-5	Division of W	Division of Water Resources App. No.		
		OF WATER WELL:	Fraction	*** C 	Section Number			
l .	ity: Pr		1/4 SE 1/4 SE	1/4 NE 1/4		T 27 S	1 0	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
		town or intersection: If at			Latitude: (in decimal degrees)			
					Longitude: (in decimal degrees)			
4E of Pratt, KS					Elevation:			
2 WATER WELL OWNER: Norma Bergner								
Z WA	Street	Address Box #:	Bergner		Collection Method:			
City	State 7	Address, Box #: 50390 NOTING TO SERVICE STATES	50390 NE 15th St.			☐ GPS unit (Make/Model:		
City	, State, Z	Pratt,	KS 67124		Est. Accuracy:	7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	T 5-15 m	
Est. Accuracy:								
WITI	H AN "X		COMPLETED WEL					
SECT	TION BO	OX: Depth(s) Ground	Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.					
	N	WELL'S STAT	WELL'S STATIC WATER LEVEL					
		Pump						
NV	W NW - NE - NE - EST. YIELD 80gpm. Well water was							
w								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SV	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
	S If yes, mo/day/yr sample was submitted Water well disinfected? X Yes No							
Water wer distincted. In 165								
5 TYPE OF CASING USED: Steel X PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter5 in. to82 ft., Diameter in. to ft., Diameter ft. Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel DYC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter								
SCREEN-PERFORATED INTERVALS: From82								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage								
				T	from well130.		LICODIO DIEDIVILI G	
FROM	TO	LITHOLOG	IIC LUG	FROM	TO LITHO.	LOG (cont.) or PL	UGGING INTERVALS	
0	10	sandy top soil			Dayage	- 1 20		
2	12	clay			Bergi	er 1-28		
12	17	sand and gravel			2+0%	ing Duilling	Company	
17	22	clay	hand hattam but			ing Drilling Box 1006	Collipatiy	
22	102	sand and gravel	hard bottom but			KS 67124		
			not shale		rial	, NO U/124		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)08/26/10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year)08/29/10								
		ss name of Kelly.'sWa						
INSTRUC	CTIONS:	Use typewriter or ball point pen	a. <u>PLEASE PRESS FIRML</u> Y	and PRINT cle	early. Please fill in bla	nks and check the corr	ect answers. Send three copies	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								