WATER WELL F	RECORD Fo	rm WWC-5	Div	ision of Wate	r		
Y Original Record		Change in Well Use	Rese	ources App. N		Well ID	
1 LOCATION OF V		Fraction		tion Numbe		1 -	
						R/ZDEKW	
2 WELL OWNER: Last Name: Parson First: Gene Street or Rural Address where well is located (if unknown, distance and							
Business: direction from nearest town or intersection): If at owr						's address, check here:	
Address:							
City: PRATT	- State:	KS ZIP: 67124	1 mile	WEST T	NE 90 TAVE	Sw /smile To w	
2 YORAME WITH Y							
WITH "X" IN	WITH "X" IN 4 DEPTH OF COMPLETED WELL: // ft. 5 Latitude:						
SECTION BOX:	Depth(s) Groundwater Encountered: 1)						
N		C WATER LEVEL:			ontal Datum: \(\to\) w \(\to\) sature: for Latitude/Longitude:	· · · · · · · · · · · · · · · · · · ·	
						·)	
NW X E I	below land surface, measured on (mo-day above land surface, measured on (mo-day Pump test data: Well water was				☐ Land Survey ☐ Topographic Map		
W							
SW SE	Well water was ft.						
	after						
S							
mile	Doro Hoto Blanc	in. to					
7 WELL WATER TO BE USED AS:							
1. Domestic: 5. Public Water Supply: well ID							
Household	6. Dewatering: how many wells? 11. Test H				Iole: well ID		
Lawn & Garden	7. Aquifer Recharge: well ID						
Livestock	8. Monitoring: well ID						
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmental Remediation: well ID						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: Steel PVC Other							
Casing height above land surface 24. in. Weight SDR 24. lbs/ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ▶ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From .//o ft. to							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.							
Grout Intervals: From							
Septic Tank	Latera □	l Lines	, –	Livestock Per	ns 🔲 Insectic	ide Storage	
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well							
Westersticks Comment Lines Discount							
Other (Specify)	000	•••••		200	•		
Direction from well?	7.!.(Distance from		· · ·	ft.		
10 FROM TO		OLOGIC LOG	FROM			PLUGGING INTERVALS	
0 15		r. Clay	100	1/0	Med Sand.		
15 25	FINE TUN S.						
25 35 35 40		w Clay mix					
		SANd					
40 50		MA Clay Mix					
50 65		Clay Soft					
65 80	_	, Clay	Notes:				
Bo 90 Fine TAN SAND							
90 100 Bry Man SAND Five							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 6.29.78 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 6.72, This Water Well Record was completed on (mo-day-year) 7.72							
under the business nam	e of Armudis	Wester Well	SUR Si	ora was coll gnature 🥒	ipieted on (ino-day-ye	20	
under the business name of . Crowdis . WATEX - WEll Sur . Signature							
		Cansas 66612-1367. Mail one	-				
Visit us at http://www.kdheks			KSA 82a-12		•	Revised 7/10/2015	