WATER WELL R		Form W			vision of Wate		Well ID		
Original Record Correction Change LOCATION OF WATER WELL:				Resources App. No. Section Number					
			Fraction	1		T 27 S	R A DE XW		
2 WELL OWNER: Last Name: Brown First: Most Street or Rural Address where well is located (if unknown, distance and									
Business: Address:13831 104754					direction from nearest town or intersection): If at owner's address, check here:				
Address: 19831 10"		from 64 thing + NE 70th Ave go Morth on NETOTALLE for 4.5 miles and westing 1400ft.							
City: Grandiew State: MO ZIP: (64/030)									
3 LOCATE WELL				an		27 7126.0			
WITH "X" IN			LETED WELL:		ft. 5 Latitude: 37.710815				
SECTION BOX:		Depth(s) Groundwater Encountered: 1)					(decimal degrees)		
N	2)				<u>Horizo</u>	ontal Datum: DAWGS 8	4 🗌 NAD 83 🔲 NAD 27		
	WELL'S STATIC WATER LEVEL:59								
1111	below land surface, measured on (mo-da)		
NWNE						(WAAS enabled?			
	Pump test data: Well water was				La	and Survey Topogr	aphic Map Le Earth Pro		
W	after hours pumping gpm Well water was ft.				½ 4∵0₁	nline Mapper: . C.C.C.C	RE CLASSIFICATION		
SW SE	after	after hours pumping gpm					 ,		
11111	Estimated Yield: Q				6 Eleva	tion:ft	🔲 Ground Level 🔲 TOC		
S	Bore Hole D	576 in to	ft and		Source: Land Survey GPS Topographic Map				
mile									
7 WELL WATER TO BE USED AS:									
1. Domestic:			r Supply: well ID		10. □ Oil	l Field Water Supply: 1	ease		
Household									
Lawn & Garden									
☐ Livestock			well ID			ermal: how many bore			
2. Irrigation 9. Environmental Remediation: well ID									
3. Feedlot Soil Vapor Extraction b) Open Loop Surface Di									
4. Industrial Recovery Injection 13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? Yes \(\subseteq \text{No} \)									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Clamped Clamped Welded Threaded									
Casing diameter 5 in to # Diameter in to # Diameter in to #									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From .80 ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From . C.O ft. to									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Sewer Lines ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
Direction from well? 150 the Distance from well? South ft.									
10 FROM TO		THOLOGI		FROM			PLUGGING INTERVALS		
0 3	Sandy			11011		Ellio. Boo (com.) o	TEGGGING HVIERVINGS		
3 18	Tan Cl				 				
193 63	Fine To			 	 				
63 9068	Town Ma	LY1 JUNI				 			
68 000 10072	Tan Cla Coarse				 				
	Coarse	Sand		+	 				
72 80	Tan	Sand		Notes:	ıL				
	INOIES:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Sconstructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under my jurisdiction and was completed on (mo-day-year)									
under the business name of Crourals Water well Signature									
Mail I white copy alo	ng with a fee of \$	5.00 for <u>each</u> o	constructed well to: Ka	nsas Department	t of Health and I	Environment, Bureau of W			
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									