	TAW.	ER WELL RECO	RD Form W	WC-5 KSA 82a	-1212	SVE7			
LOCATION OF WATER WELL:	Fraction	<i>,-</i> -		Section Number	Township	_		Range Nur	
County: PATT Distance and direction from nearest	town or city street	·	located within	ibv2	T 2.	<u> </u>	į R	15	
	•			City?					
WATER WELL OWNER: LUKA		luxa, K	,						
RR#, St. Address, Box # : Bix	-				Board of	Agriculture,	Division	of Water	Resource
City, State, ZIP Code : LUKA		66				on Number:			
LOCATE WELL'S LOCATION WIT	THIAI DEPTH OF (COMPLETED WE	11 55	- ft FLEVA					
AN "X" IN SECTION BOX:		dwater Encounter	red 1	48 11.2	2	ft. (3	4	
- 			47.05	ft. below land sur	face measured	on mo/day/yr	0	5/03/	00
				ft. a					gpm
NW NE	1	•		<u></u> ft. a		•			
<u>. </u>	Bore Hole Diam	neter 10, 75	.in. to	<i>5. 5.</i>	and	ir	n. to		ft.
₩ 1 1 1 1 1 1 1 1 1	E I	TO BE USED AS		water supply	8 Air conditioni	ng <u>11</u>	Injectio	n well	
7 1 1 1	1 Domestic	3 Feedlot	t 6 Oil fie	eld water supply	9 Dewatering			Specify be	
sw st	2 Irrigation	4 Industri	ial 7 Lawn	and garden only	10 Monitoring w	ell	OK. E	XT.PAC	THE P
	Was a chemical	/bacteriological sa	ample submitted	d to Department? Ye	esNo	.X; If yes	, mo/da	y/yr sampl	e was sut
I S	mitted			Wa	ter Well Disinfed	ted? Yes	(,	No)	
TYPE OF BLANK CASING USED) :	5 Wrought iron	n 80	Concrete tile	CASING J	OINTS: Glue	d	Clampe	d
1 Steel 3 RMP	(SR)	6 Asbestos-Ce	ement 9 (Other (specify below	v)	Weld	led		
4 ABS		7 Fiberglass				Thre		?	
	<i></i>			in. to				121 77	ft.
Casing height above land surface		in., weight			ft. Wall thicknes			T. 40	بر
TYPE OF SCREEN OR PERFORAT			_	7 PVC		sbestos-cem			
	ess steel	5 Fiberglass		8 RMP (SR)		other (specify			
	inized steel	6 Concrete tile	=	9 ABS		lone used (o		•	hala)
SCREEN OR PERFORATION OPEN	_		Gauzed wrapp		8 Saw cut	_	11 196	one (open	noie)
	Mill slot		Wire wrapped	_	9 Drilled hole 10 Other (spec				
2 Louvered shutter 4 SCREEN-PERFORATED INTERVAL	Key punched .S: From	<i>(117</i>)	Torch cut	£ 5 # 5 5 7 1	m	• •			
SCHEEN-PERFORMIED INTERVAL	From		-	ft., Froi					
GRAVEL PACK INTERVAL				ft., From					
CHAVEE I ACK IIVE IVAE	From		t. to	ft., Fro		ft.			ft.
6 GROUT MATERIAL: 1 Nea	at cement	2 Cement grout			Other				
Grout Intervals: From 3	ft. to33		_	. ft. to 3.7					
What is the nearest source of possit	ole contamination:				tock pens	14 A	Abandon	ed water v	well
1 Septic tank 4 La	iteral lines	7 Pit pr	ivy	11 Fuel	storage	15 C	Oil well/0	Gas well	
2 Sewer lines 5 Ce	ess pool	8 Sewa	ge lagoon	12 Fertili	zer storage			pecify belo	iw)
3 Watertight sewer lines 6 Se	epage pit	9 Feedy	yard	13 Insec	ticide storage	(405	75	ME	
Direction from well?				How mai					
FROM TO	LITHOLOGIC	LOG	FRO	ом то		PLUGGING	INTERV	ALS	
0 8 CLAY									
8 30 9141	CLAY								
30 35 9141	SAUD								
35 45 SILT	CLAY								
43 53 6678	7 5/CT								
53 35 SAN	υ,								
				 					
		·····						·	
						\		المالم ماسيا	
CONTRACTOR'S OR LANDOWN	JEHO CERTIFICAT	ION: This water	well was (1) co						
completed on (mo/day/year)	111 Food	≠			rd is true to the	// _/_ //		TO Delic	sı. Nansas
Water Well Contractor's License No.	NA 247	・・・・・・・・ This W	,	ord was completed		100/4/	<i>YQ</i>		• • • • • • •
under the business name of OP	HICO CAPENY	reams	(NC)	by (signa					
INSTRUCTIONS: Use typewriter or ball po of Health and Environment, Bureau of Wa	oint pen. <u>PLEASE PRESS</u> ater, Topeka, Kansas 666	FIRMLY and PRINT of 20-0001. Telephone: 9	early. Please fill in b 913-296-5545. Send	olanks, underline or circle one to WATER WELL O	the corfect answers	e for your record		Kansas Dep	artment