WATER WELL REC	ODD 5 WWO 5	V04.00 40.			WW (I)
LOCATION OF WATER WELL: Fraction County: Pratty	ORD Form WWC-5		n Number	Township Number	Range Number
Distance and direction from nearest town or city street a	^		att r	T 27 s S 6710	$\frac{1}{2} \frac{R}{R} \frac{1.5}{5} \frac{EW}{EW}$
2 WATER WELL OWNER: Pratt Ag Aviati	- DONTEN	CO CA PY	all, L	<u> </u>	2 9
RR#, St. Address, Box # : 581 Sanrise R City, State, ZIP Code : Pratt, KS 6712	ve			Board of Agriculture, Application Number:	Division of Water Resource
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF C	OMPLETED WELL	6.5	ft ELEVATION		
AN "X" IN SECTION BOX: Depth(s) Groun	dwater Encountered	1 90 # 50	ft. 2	ft.	37/20/02 tt.
Pun	np test data: Well water	er was	ft. after	asured on mo/day/yr hours	pumping gpr
NN Est. Yield	gpm: Well wate	er was	ft. after	hours	pumping gpr
WELL WATER 1 Domestic 2 Irrigation	3 Feedlot 6	Public water sup Oil field water su Domestic (lawn)	ipply 9 D	ewatering 12	Injection well Other (Specify below)
	4 maasmar 7	Domestic (lawir	a garden) (10) IVI	ormornig weil	
Was a chemical mitted	/bacteriological sample	submitted to Dep		NoX; If yes, /ell Disinfected? Yes	mo/day/yrs sample was sub
5 TYPE OF BLANK CASING USED:	E Manualities			0.0000	
1 Steel 3 RMP (SR) ②PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete 9 Other (spo	ecify below)	We Thr	ed Clamped Ided eaded
Blank casing diameterin, to	ft., Dia	i	in. to	ft. Dia	in to ft
Casing height above land surface	in., weight		lbs./ft	. Wall thickness or gua	ige No. Sch 40
TYPE OF SCREEN OR PERFORATION MATERIAL:		⊘ PVC		10 Asbestos-Ce	ment
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel	5 Fiberglass6 Concrete tile	8 RMP (9 ABS	(SR)	11 Other (Specif	y) open hole)
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot	5 Guazed wrapped 6 Wire wrapped 7 Torch cut		9 [8 Saw cut 11 None (open hole) 9 Drilled holes	
2 Louvered shutter 4 Key punched			10 (Other (specify)	ft
SCREEN-PERFORATED INTERVALS: From	# to	W O	ft., From	ft. t	oft
GRAVEL PACK INTERVALS: From	5.8ft. to	45	ft., From	π. τ. τ	o ft o ft
From	ft. to		ft., From	ft. t	oft
GROUT MATERIAL: 1 Neat cement Grout Intervals: From	2 Cement grout	③entonii	te 4 Othe	er	ft to ft
what is the nearest source of possible contamination:			10 Livestock p		Abandoned water well
1 Septic tank 4 Lateral lines	7 Pit privy		11 Fuel storage	15	Oil well/Gas well
2 Sewer lines 5 Cess pool	8 Sewage	•	12 Fertilizer sto		Other (specify below)
3 Watertight sewer lines 6 Seepage pit	9 Feedyard	d	13 Insecticide :	•	Lust Site
Direction from well? FROM TO LITHOLOGIC	1.00		How many feet		
FROM TO LITHOLOGIC	1	FROM	ТО	PLUGGING II	NTERVALS
21. 10	CENT -				
49 65 allan Sitti	MAIST.				
The Charles Contract	n to o				