O LOCATIO	OF WAR	TO WELL.		K WELL RECORL	FUIIIIVV	Section Number		lumber	Range Nu	ımher
1		TER WELL:	Fraction SE 1/4	CE 1/	CW 1/		T 27	S	R 13	H/W)
County: I					SW 1/4		1 2/	<u> </u>	K 13	- W
Distance and direction from nearest town or city street address of well if located within city? 22' N of First Street, 60' W of Stout Street										
			· · · · · · · · · · · · · · · · · · ·						· · · · · · · · · · · · · · · · · · ·	
		VNER Eubank		,						İ
RR#, St. Ad	dress, Box	# : P.O. Bo:	x 158					•	sion of Water R	esources
		: Pratt, K					Application No			
3 LOCATE	WELL'S L					ft. ELEV/				
WHAI	N "X" IN SE	CTION BOX:	Depth(s) Ground	lwater Encountere	d 1	ft.	2	ft	3	ft.
T		1	WELL'S STATIC	WATER LEVEL .		. ft. below land su	rface measured	on mo/day/y	/r	
			Pump	test data: Well v	water was .	N.A ft. af	ter	. hours pun	nping	gpm
	NW	NE				ft. af				
ف						. 29 ft., a				
∄ w						water supply				
_] [1 Domestic	3 Feedlot		water supply		-	•	below)
	sw	SE	2 Irrigation			nd garden only				
				l/hacteriological sa	mole submit	ted to Department	Yes No.	: If ves	mo/day/vr san	nole was
¥ L	X		submitted	a bacter rological se	anpio odbini		ter Well Disinfed		No •	
7 7/05 0	5 01 00 114 6	2400000000	Caprintoa	E Meaughtires	0 (iClamp	
<u> </u>		CASING USED:		5 Wrought iron					ed	
1 Ste		•	8)			Other (specify below		Thres	ed	
(2) PV				7 Fiberglass						
Blank casin	ng diameter		. in. to J	9 ft., Dia		. in. to	rt., Dia		. III. 10 •	IL
Casing heig	ght above la	and surface	Ø	in., weight		lbs./f				4u
TYPE OF S	CREEN OF	R PERFORATION	N MATERIAL			PVC		sbestos-ceme		
1 Ste	eel	3 Stainless	steel	5 Fiberglass	3	RMP (SR))	· · · · · · ·
2 Bra			ed steel	6 Concrete tile	g	ABS		one used (op	•	
SCREEN C	R PERFOR	RATION OPENING			Sauzed wrapp	ped	8 Saw cut 9 Drilled holes		11 None (ope	en hole)
1 Cc	ontinuous sl			6 V	Vire wrapped					
2 Lo	uvered shu	tter 4 Ke	ey punched		orch cut		10 Other (speci			
SCREEN-F	PERFORAT	ED INTERVALS:				9 ft., Fro				
						ft., Fro				
G	RAVEL PA	CK INTERVALS:				9 ft., Fro				
			From	ft. !	to	ft., Fro	om	ft.	to	ft.
6 GROUT	MATERIAL	: 1 Neat	cement	2 Cement grout	(3)	Bentonite 4	Other			
ت Grout Inter	vals: Fror	n	. ft. to 3.	ft., From .	3	. ft. to 1.7 .	ft, From .		ft. to	ft
		ource of possible							bandoned wate	
1 Septi	ic tank	4 Later	al lines	7 Pit privy	/	(11) Fuel	storage	15 O	il well/Gas well	
2 Sewer lines 5 Cess			• -			12 Ferti	lizer storage	16 Other (specify below)		
		r lines 6 Seep				40 1				
Direction f	-	Northeast	3- p.·	,		How mar	ny feet? 47			
FROM	ТО	1 tot theast	LITHOLOGIC	LOG	FRO	OM TO	F	PLUGGING II	NTERVALS	
0	0.5	Concrete,								
0.5	1.3	Sand,								
1.3	5	Sand fine to c	oarse grain, o	lay, Brown						
14	24	Sand fine to c								
24		Sand fine to c								
26.5	29			ry plastic, Bro	wn					
20.5	-	Sand tine to i	iica. grain, ve	: J						
	 									
								······································		
		 					SVE OB2 , Tag #	100321226 1	Hushmaunt	
							Project Name: Ca			······································
	<u> </u>									
		L					GeoCore # 27 , K			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction										
and was completed on (mo/day/year) 9/9/2003 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527. This Water Well Record was completed on (mo/day/yr) 10/1/2003 :										
Kansas W	/ater Well C	Contractor's Licer	nse No	527	. This Wate	r Well Record was	completed on (r	no/day/yr)	, 10/1/200	J 3
under the business name of GeoCore Services, Inc. by (signature)										
INSTR	UCTIONS: Us	e typewriter or ball po	oint pen. <i>PLEASE F</i>	RESS FIRMLY and Pf	<u>RINT</u> clearly. P	lease fill in blanks, unde	erline or circle the co	rrect answers.	Send top three cop	ies to Kansas
		and Environment D	ureau of Water Tone	ka Kansas 66620-000	1. Telephone: 9	13-296-5545. Send on	e to WATER WELL	OWNER and ret	tain one for your red	cords.