WATER WELL RECORD	Form W	WC-5	Division of Wat	er Resources App. N	0	
1 LOCATION OF WATER W County: Pratt	ELL: Fraction SE ¼ SE ¼ SE	¼ SE ¼	Section Number 33	Township No. T 27 S	Range Number R 13 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees)			
101 North Main, Pratt, KS 67124		Longitude: (in decimal degrees)				
			Elevation:			
2 WATER WELL OWNER: Former Tom's Service			Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 101 Main Street		Collection Method: GPS unit (Make/Model:)				
City, State, ZIP Code :	Pratt, KS 67124		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Platt, NS 67124			Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m			
3 LOCATE WELL						
WITH AN "X" IN 4 DEF	"IN 4 DEPTH OF COMPLETED WELL .60'					
SECTION BOX: Depth(4 DEPTH OF COMPLETED WELL .60'					
WELL	Pump test data: Well water wasft. afterhours pumpinggpm					
FOT V	DOT VIELD					
NW NE D						
W E Bore Hole Diameterπ., andπ. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Downstie D Poodlet DOI field victor country D Dougetowing DOthon (Smooth below)						
Irrigation Industrial Domestic lawn & garden Monitoring well MW 1						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☐ Yes ☑ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .2. in. to .40. ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface -3.36 in., Weight						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
What is the nearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site						
	THOLOGIC LOG	FROM	TO LITHO. I	LOG (cont.) or PLU	JGGING INTERVALS	
0 1 Asphalt						
1 10 Sand, fine, fill 10 15 Clay, silty, min	or conds, callaba	+				
	nor sands, caliche	 				
	t seams throughout			MW1		
	parse, minor gravels			IVIVVI		
	mix, fine - coarse<3"					
43 45 Sand, fine silty						
	reasing sands with					
depth						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged						
under my jurisdiction and was completed on (mo/day/year) .10/0.1/2009 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (pno/day/year) 12/21/2009						
under the business name of Coranco Great Plains, Inc. by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blank and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						