WATER WELL RECORD			Form W	WC-5	Division of V	ater Resources App. N	Io	
1 LOCATION OF WATER WELL:			Fraction		Section Number		Range Number	
			SE ¼ SE ¼ SE		33 T 27 S R 13 □E 🗗 W			
	Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
ì	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
101	101 North Main, Pratt, KS 67124					Longitude: (in decimal degrees) Elevation:		
						Datum: WGS 84, NAD 83, NAD 27		
2 WA	TER W	ELL OWNER: Former	Tom's Service		Collection Metho		J NAD 21	
	RR#, Street Address, Box #: 101 Main Street				GPS unit (Make/Model:)			
City, State, ZIP Code : Pratt, KS			S 67124		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
<u>Est. Accuracy</u> :								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 59.5' ft.								
	TION BO							
520.	N	WELL'S STATIC WATER LEVEL. 49.70ft. below land surface measured on mo/day/yr						
	Pump test data: Well water wasft. after hours pumping							
NV	EST. YIELDgpm. Well water wasft. after hours pumpinggpn							
W							.ft.	
WELL WATER TO BE USED AS:								
SW Domestic								
J ✓   ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW.4								
was a chemical/bacteriological sample submitted to Department?  \( \) Yes \( \) No								
S If yes, mo/day/yr sample was submitted								
water well distincted: 1 Tes 12 No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2								
Casing height above land surface4.08								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From37 ft. to60 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .1								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site								
		n well						
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO	. LOG (cont.) or PLU	JGGING INTERVALS	
0	1	Asphalt						
1	6	Sand, very fine - mediu	m					
6	20.5	Clay, silty						
20.5	29	Silt, clayey, iron nodule	S					
29	32	Clay	1 - E			MW4		
32	41	Sand, clayey, very fine						
41	45	Sand & Gravel, medium-coarse						
45	60	Sand, clayey						
T CONTRACTORIS OR LANDOWNERS CERTIFICATION. This was all to The contract of th								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .1.9/1.3/2009 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No5.9.4 This Water Well Record was completed on (mo/day/year) .1.9(1.3(2.009								
under the business name ofCoranco Great Plains, Inc								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blacks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								