WATER WELL REC	.UKD	rorm w	WC-3	ט	ivision of wate	r Resources App. No	0.	
1 LOCATION OF WATER WELL:		Fraction			on Number	Township No.	Range Number	
County: Pratt		1/4 SW 1/4 SW	V 1/4 NW 1/	4	21 T 2		R 13 □E □W	
Street/Rural Address of Well Location; if unknown, distance & direction				Glob	Global Positioning System (GPS) information:			
			Latitude: A (in decimal degrees)					
from nearest town or intersection: If at owner's address, check here \mathbf{Z} .					Longitude: (in decimal degrees)			
					Elevation: (in decimal degrees)			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Brian Schrag								
					Collection Method:			
Ct. C. Syn C 1					Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Pratt, KS 67124								
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
SECTION BOX:	Depth(s) Groundwater Encountered (1).44 ft. (2)							
WELL'S STATIC WATER LEVELtt. below land surface measured on mo/day/yr								
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELDgpm. Well water wasft. after hours pumping								
W Bore Hole Diameter							ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Decedlet Doil field water supply Developing Dother (Specify below)								
SW SE Domestic Feediot On field water supply Dewatering Other (specify below)								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☑ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .6								
Casing height change land surface 24 in Waight the /A Wall this language as a surface Na								
Casing height above land surface24								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From. 25 ft. to .80 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: □ Neat cement □ Cement grout □ Bentonite □ Other								
Grout Intervals: From .5								
What is the nearest source of possible contamination:								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well South ☐ Distance from well25 feet ☐ Distance from well								
FROM TO	LITHOLOG	IC LOG	FROM	TO			GGING INTERVALS	
			0	5		and cut off casin	g	
			5	25	Hole Plug			
			25	80	Chlorinated	Gravel		
					 			
					 			
	2000							
T CONTRACTORS OF LANDOWNERS CEPTIFICATION, This was all the contract of the co								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .7/9/10								
Kansas Water Well Contractor's License No. 473 This Water Well Record was completed on (mo/day/year) 7/19/10								
under the business name of .Tyler Water Well by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 136, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								