11 OCATI	ON OF W	ATER WELL:	WATEI T Fraction	R WELL RECOR	D Form W	WC-5 KSA Section Num		Number	Range Nui	mber	
County:			SE ¼	SE ¼	SW 1/4	34	T 27	S	R 13		
Distance a	and direction	on from nearest town	or city street a	ddress of well if I	located within	city?			*		
516 E. 1	lst St.; P	ratt, Kansas									
2 WATE	R WELL O	WNER: Tucker Oi	l & Gas								
RR#, St. A	ddress, Bo	x# : P.O. Box 6	53				Board of Agri	culture, Divi	ision of Water Re	sources	
City, State	, ZIP Code	: Kingman,	Kansas 670	068			Application No	ımber:			
3 LOCAT	E WELL'S	LOCATION 4	DEPTH OF CO	MPLETED WELL	57.	ft. EL	EVATION:	1	881.09		
⊸ WITH A							ft. 2				
T -		`` w	ELL'S STATIC	WATER LEVEL		. ft. below land	d surface measured	on mo/day/	/yr		
T			Pump	test data: Well v	water was .	NA f	t. after	. hours pu	mping	gpn	
1 1	w	NE Es					t. after				
W W		Bo	re Hole Diame	ter 8 in	n. to	.57 f	t, and	ir	n. to	fi	
≅ w ⊦		 	ELL WATER T	O BE USED AS:	5 Public	vater supply	8 Air conditioni	ng 11	Injection well		
. 1.			1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	(12)	Other (Specify b	elow)	
	SW	SE	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	10 Monitoring we		Air injection.	well	
1	Х	w	as a chemical	bacteriological sa	ample submit	ted to Departm	ent? YesNo.	; If yes	s, mo/day/yr sam	ole was	
Y L		S su	ıbmitted			,	Water Well Disinfec	ted? Yes	No √		
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING JO	NTS: Glue	d Clampe	ed	
1 St	eel	3 RMP (SR)		6 Asbestos-Cem		Other (specify b			ded		
(2)P\				7 Fiberglass				Thre	aded 🗸		
		r i									
Casing hei	ght above	land surface	-2. 76i	in., weight			s./ft. Wall thickness	or gauge !	No		
TYPE OF	SCREEN C	OR PERFORATION N	MATERIAL			PVC		bestos-cem			
1 St	eel	3 Stainless st	eel	5 Fiberglass	7	RMP (SR)			/)	<i>.</i>	
2 Br		4 Galvanized		6 Concrete tile	g	ABS		ne used (o	pen hole)		
SCREEN (OR PERFO	RATION OPENINGS			auzed wrapp		8 Saw cut		11 None (oper	n hole)	
1 C	ontinuous s				Vire wrapped		9 Drilled holes				
	ouvered shi	•	punched		orch cut		10 Other (specif				
SCREEN-	PERFORAT	TED INTERVALS:					From				
	DAVEL DA	OK INTERMALS:					From				
G	SKAVEL PA	ACK INTERVALS:					From				
	MATERIA			Cement grout		Bentonite					
		m		π., From	40 . 7						
		source of possible co		7 00			ivestock pens		Abandoned water	well	
1 Sept		4 Lateral I		. ,			uel storage	•			
	er lines	5 Cess po		5 5			ertilizer storage (16) Other (specify below) Former UST basin				
3 vvati Direction f	•	er lines 6 Seepag	e pit	9 Feedya	iu		many feet? 420	л	ormer USI Da	ISIN	
FROM	TOTT WELL?	West	LITHOLOGIC L	OG	FRC			LUGGINGT	NTERVALS		
0	0.5	Concrete,			-						
0.5	4	Clay, Dark Brov	wn								
4	16	Clay, Orange Br									
16	26	Sand, Red Brow									
26	39	Clay, Red Brow									
39	51	Sand, Red Brow									
51	57	Sand, Brown					<u> </u>				
	- 3,	Janu, Di Omi									
							AI-4 . Tag # 26538	8 . Flushma	ount		

Project Name: Willie's 66

GeoCore # 577, KDHE # U1 076 488

×