

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County Pratt	Fraction 1/4 1/4 SE 1/4	Center	Section number 7	Township number T 27 S R 13	Range number EW																											
2. Distance and direction from nearest town or city: 5 1/2 miles Northwest of Pratt, KS Street address of well location if in city:			3. Owner of well: Orville Watson R.R. or street: Route 3 City, state, zip code: Pratt, KS 67124																														
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. <u>24</u> in. Completion date <u>6-20-78</u> Well depth <u>147</u> ft.																													
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">5. Type and color of material</td> <td style="width:10%;">From</td> <td style="width:10%;">To</td> </tr> <tr> <td>Top soil</td> <td>0</td> <td>3</td> </tr> <tr> <td>Brown clay & limestone</td> <td>3</td> <td>23</td> </tr> <tr> <td>Fine sand</td> <td>23</td> <td>25</td> </tr> <tr> <td>Sandy clay & limestone</td> <td>25</td> <td>45</td> </tr> <tr> <td>Cement & sand</td> <td>45</td> <td>58</td> </tr> <tr> <td>Sand & gravel</td> <td>58</td> <td>70</td> </tr> <tr> <td>Sandy clay & limestone</td> <td>70</td> <td>75</td> </tr> <tr> <td>Sand & gravel</td> <td>75</td> <td>147</td> </tr> </table>		5. Type and color of material	From	To	Top soil	0	3	Brown clay & limestone	3	23	Fine sand	23	25	Sandy clay & limestone	25	45	Cement & sand	45	58	Sand & gravel	58	70	Sandy clay & limestone	70	75	Sand & gravel	75	147	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				5. Type and color of material	From	To																											
Top soil	0	3																															
Brown clay & limestone	3	23																															
Fine sand	23	25																															
Sandy clay & limestone	25	45																															
Cement & sand	45	58																															
Sand & gravel	58	70																															
Sandy clay & limestone	70	75																															
Sand & gravel	75	147																															
8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			9. Casing: Material <u>steel</u> Height: <u>Above</u> or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>30.3</u> lbs./ft. Dia. <u>16</u> in. to <u>87</u> ft. depth; Wall Thickness: inches or Dia. <u> </u> in. to <u> </u> ft. depth; gage No. <u>7 ga.</u>																														
			10. Screen: Manufacturer's name <u>W. A. Brown</u> Type <u>Double-slot</u> Dia. <u>16"</u> Slot gauze <u>1/8"</u> Length <u>60'</u> Set between <u>87</u> ft. and <u>147</u> ft. <u> </u> ft. and <u> </u> ft. Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material <u>3/8-200</u>																														
			11. Static water level: <u>50</u> ft. below land surface Date <u>6-20-78</u> mo./day/yr.																														
			12. Pumping level below land surfaces: NOT CHECKED <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u> </u> g.p.m.																														
			13. Water sample submitted: <u> </u> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <u> </u>																														
			14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> inches above grade																														
			15. Well grouted? <u>yes</u> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.																														
			16. Nearest source of possible contamination: FIELD ft. <u> </u> Direction <u> </u> Type <u> </u> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																														
			17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <u>Peerless Pump Co.</u> Model number <u>12LB-3</u> HP <u>80</u> Volts <u> </u> Length of drop pipe <u>80</u> ft. capacity <u>900</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																														
18. Elevation:			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Clarke Well & Eq., Inc. 185 Business name License No. <u> </u> Address <u>Great Bend, KS 67530</u> Signed <u>[Signature]</u> Date <u>7-11-78</u> Authorized representative																														
19. Remarks: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley																																	

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5