USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number	]
1. Location of well:	PRATT	NW 1/4 SE1/4 NE	SE1/4 NE 1/4		<u>4</u>		r /3 W E/W	
2. Distance and direction from nearest town or city:  3. Owner o						F. STANION		
Street address of well location if in city: (OLF /ERC) CE DRIVE				street: 624 TERRACE DRIVE rate, zip code: PRATT KS 67124				
PATT, K5 City, stat  4. Locate with "X" in section below: Sketch map:				u.o, 2.p	6. Bore hole dia. 10 in. Completion date			1
N						Well depth <u>&amp;O</u> ft.	27500T76	]
DEWEWLY HOUSE						7 Cable tool X Rotary Driven Dug		
- NW NX-				-		Hollow rod Jetted Bored Reverse rotary		1
E (C) Sig Wall D						8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock		
-						<b>¼</b> , Lawn O		1
						9. Casing: Material	Height: Above or below iSurfacein.	
						RMP_X PVC	Weightlbs./ft.	
1 M		N		т		Dia in. to ft. dep Dia in. to ft. dep		Ī
5. Type and color of material				From	То	10. Screen: Manufacturer's r		1
Soil				0	2	Type RND	_ Dig 5"	
						Length <u>20'</u>	:]	
CLAY, SICTY			12	10	Set betweenft.	_ft. andft.		
CLAY, SANDY TAN			10	16	Gravel pack? Size ra	nge of material 12 - 78		
CLAY, GRAY			16	22	11. Static water level:	mo./day/yr.	:	
SAND, FING TO GARSE				22	30	12. Pumping level below land	d surfaces:	1
				30	75	ft. after		
SAND, FINE TO COARSE & MED TO COARSE GRAND				1		Estimated maximum yield	g.p.m.	1
Soud, MED TO COARSE & MED TO COARSE GRAVEL				75	40	13. Water sample submitted: Yes No	mo./day/yr. Date	·
						14. Well head completion:		1
						X Pitless adapter	14_ Inches above grade	┨.
						15. Well grouted? YES With: Neat cement	BentoniteX Concrete	
				1		Depth: Fromft. to	<u>14</u> ft.	17/
						16. Nearest source of possible ft Direction	e contamination:	'
						Well disinfected upon comple	otion?XYesNo	
						17. Pump:	Not installed	" [
				<del>                                     </del>		Manufacturer's name Model number	HP 1/2 Volts 230	
				<u> </u>		Length of drop pipe	ft. capacity <u>30</u> g.p.m.	<b> </b> (≤)·
						Type: Submersible	Turbine	1
	()	h 15 1 1)				Jet	Reciprocating	1210
(Use a second sheet if needed)CentrifugalOther  18. Elevation: 19. Remarks: Dunc Disculations Diagram 20. Water well contractor's certification:								┦°H
The purp discussion of the second						This well was drilled under m	y jurisdiction and this report	''
Topography: SPRINKLER SYSTEM VALUE MECHANISM.					٥	is true to the best of my knowledge and belief.		
					•	Business name License, No.		
Stape						Address (E) AT	LOR PROTT, KS	Z   K
Valley						Signed Authorized rep	resentative Date	] >