			WATE	R WELL RECORD	D Form WW	C-5 KSA 82	a-1212			
1 LOCA	TION OF WA	TER WELL:	Fraction			Section Number	Townshi	p Number	Range Number	
County:		ratt	SE 1/4		SE 1/4	34	T 2	er s	R 13 EM	
Distance	and direction	from nearest tow	n or city street a	address of well if lo	ocated within ci	y?				
	1412 East	1st								
2 WATE	ER WELL OW	NER:	Musket Corp	oration - Loves			,			
RR#, St.	Address, Bo	x # :	P.O. Box 262	210			Board	of Agriculture,	Division of Water Resources	
City, Stat	te, ZIP Code	:	Oklahoma Ci	ity, Ok.			_	ation Number:		
3 LOCA	TE WELL'S L	OCATION WITH	4 DEPTH OF C	COMPLETED WEL	L 25	ft. ELEVA	ATION:			
AN "X	" IN SECTIO	N BOX:	Depth(s) Ground	dwater Encountered	d 1 NA	ft	2	ft	3	
T 1									r	
1	· i	i }							umping gpm	
	NW	NE							umping gpm	
'.			Bore Hole Diam	eter 75/8 in	to	25 ft	and	ir	n. toft.	
W.				TO BE USED AS:		vater supply	8 Air condition		njection well	
-	i	i	1 Domestic					•	Other (Specify below)	
l i	sw	SE	2 Irrigation	4 Industrial					·······································	
					onle submitted to	Denartment? V	es No	· If yes	s, mo/day/yr sample was sub-	
1			mitted	bacici iologicai baii	ipic sabiiiitoa t		ater Well Disinfe		No	
5 TYPE	OF BLANK	ASING USED:	THILLOG	5 Wrought iron	8 00	ncrete tile			ed Clamped	
	iteel	3 RMP (SF	2)	6 Asbestos-Cem		ner (specify belo				
(2)		4 ABS	')	7 Fiberglass			,		ded	
Blank on	vina diameter	5	in to 20	# Dia	· · · · ·	•••	4 Dia	ine	in. tosch: 40 · · · · · ft.	
Casing b	sing diameter	and gurface	0	in weight		. IU	/ft \Mol! thickno		No	
_	_	R PERFORATION		.m., weight		PVC				
	teel	3 Stainless		E Ciboralasa	_	RMP (SR)		Asbestos-cem		
	rass	4 Galvanize		5 Fiberglass 6 Concrete tile		ABS)	
		RATION OPENING			auzed wrappe		8 Saw cut	None used (or	11 None (open hole)	
	Continuous slo				Vire wrapped	•	9 Drilled hol		11 None (open noie)	
	ouvered shutt		ey punched		Forch cut					
		ED INTERVALS:	From	20	to	25 # Ero		• .	toft.	
OOMELIA	TEIN OIDAIL									
	GRAVEL PAG	CK INTERVALS:	From	19 #	to	25 ft Fro	m	,	toft.	
	OTTAVEE I A	SIC HATELIANES.	From	ft.		ft., Fro			to ft.	
6 GBOU	T MATERIAL	: 1 Neat c		2 Cement grout	(3 Be			· ·		
Grout Inte		n O	ft to 16	ft. From	16	t. to. 19	ft From	1	ft. to ft.	
		urce of possible of					stock pens		Abandoned water well	
	eptic tank	4 Latera		7 Pit privy			•			
	ewer lines	5 Cess					11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below)			
	atertight sew		•				13 Insecticida etorada			
	from well?	northe	east	·			ny feet?	20		
FROM	ТО		LITHOLOGIC	LOG	FROM		ing root.	PLUGGING I	INTERVALS	
. 0	6"	asphal	t					VOBW3-flu	sh mount cover	
6"	20	slty-sn	dy cly							
20	25	fine to	med snd							
						-				
CONT	BACTOR'S C	OR LANDOWNED	'S CERTIFICATI	ON: This water wa	all wat (1) hone	tructed (2) reco	netructed or "	3) plugged up	der my juriediction and was	
Completes	on (mo/day/	08-12-	93	OIT. THIS WATER WE	- was the cons	and this room	ord is true to the	heet of my lea	der my jurisdiction and was	
			527	This Wat	or Well Record	was completed		Desi Oi IIIy Kn	nowledge and belief. Kansas	
under the	business nar	s License No. GeoC	ore Services,	Inc.	C. TTEN FIBCOID	was completed by (signa	6 1 7	1,00	1.0	
					dy Place fill in his-			A Sand in the	copies to Kansas Department	
				20-0001. Telephone: 913-						