LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 SE 1/4 Section Number Township Numb	E/W Resourceftgprgprft
Distance and direction from nearest town or city street address of well if located within city? 2 EAst, .4 North of Pratt WATER WELL OWNER: CIrcle S Farms RR#, St. Address, Box #: 1224 N. Welton Board of Agriculture, Division of Water Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL .63. ft. below land surface measured on moldaylyr 3/14/84. Pump test data: Well water was ft. after hours pumping. Est. Yield .90. gpm: Well water was ft. after hours pumping. Bore Hole Diameter in. to ft., and in. to well. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well was a chemical/bacteriological sample submitted to Department? Yes No. X if yes, moldaylyr samp mitted was a chemical/bacteriological sample submitted to Department? Yes No. X if yes, moldaylyr samp mitted water supply 8 Air conditioning 11 Injection well was a chemical/bacteriological sample submitted to Department? Yes No. X if yes, moldaylyr samp mitted water well Disinfected? Yes X No water Well Disinfected? Yes X No Section of the pumping of the pumping in the pumping of the	Resource fit.
2 EASt, .4 North of Pratt WATER WELL OWNER: CITCLE S Farms 1224 N. Welton 1224 N. Welton 1224 N. Welton Pratt, Kansas 67124 DEPTH OF COMPLETED WELL. 103. ft. ELEVATION: flat. Depth(s) Groundwater Encountered 1. 63. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL. 63. ft. below land surface measured on mo/day/yr 3/14/84. Pump test data: Well water was ft. after hours pumping. Bore Hole Diameter in to ft., and in to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 PVC X 4 ABS 7 Fiberglass Plank casing diameter 5 in to 93 ft. Dia in to ft., Dia in to Casing height above land surface. 14 in., weight 15 ele 3 Stanless steel 5 Fiberglass 1 Steel 3 Stanless steel 5 Fiberglass SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut X 11 None (open	gpr gpr gpr elow)
WATER WELL OWNER: Circle S Farms RF#, St. Address, Box # : 1224 N. Welton City, State, ZIP Code Pratt, Kansas 67124 Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth (s) Groundwater Encountered 1. 63. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 63. ft. after hours pumping Est, Yield 90. gpm: Well water was ft. after hours pumping Bore Hole Diameter in to ft., and in, to WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection well 1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No. X. if yes, mo/day/yr samp mitted Water was 5 Concrete tile CASING JOINTS: Glued X. Clampes 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) PYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC X 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut X 11 None (open	gpr gpr gpr elow)
RR#, \$t. Address, Box # : 1224 N. Welton City, State, ZIP Code : Pratt , Kansas 67124	gpr gpr gpr elow)
City, State, ZIP Code Pratt, Kansas 67124 Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 . 63 . ft. 2 ft. 3. WELL'S STATIC WATER LEVEL . 63 . ft. below land surface measured on mo/day/yr 3/14/84. Pump test data: Well water was . ft. after . hours pumping	gpr gpr gpr elow)
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 63. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL. 63. ft. below land surface measured on mo/day/yr 3/14/84. Pump test data: Well water was ft. after hours pumping. Est. Yield 90. gpm: Well water was ft. after hours pumping. Bore Hole Diameter in. to ft., and in. to well. WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	ftgprff elow)sele was su
Depth(s) Groundwater Encountered 1. 63. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 63. ft. below land surface measured on mo/day/yr 3/14/84. Pump test data: Well water was ft. after hours pumping. Est. Yield 90. gpm: Well water was ft. after hours pumping. Bore Hole Diameter in to ft., and in to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No. X If yes, mo/day/yr samp mitted Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clampe water was ft. after hours pumping. Blank casing diameter 5 in to 93 ft., Dia in to ft., Dia in to Casing height above land surface 14 in, weight 160 lbs./ft. Wall thickness or gauge No. SDR. 26 type O SCREEN OR PERFORATION MATERIAL: 7 PVC X 10 Asbestos-Cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	ftgprff elow)sele was su
Pump test data: Well water was ft. after hours pumping Est. Yield 90. gpm: Well water was ft. after hours pumping in. to well water was ft. after hours pumping in. to in. to well water supply 8 Air conditioning 11 Injection well 1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well was a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr samp water Well Disinfected? Yes X No Water Well Disinfected? Yes X No Yes a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr samp water Well Disinfected? Yes X No Yes a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr samp water Well Disinfected? Yes X No Yes X Yes X No Yes X Yes X No Yes X Yes	gpr gpr felow)
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	elow)ed
1 Domestic X 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	ed
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes	ed
Was a chemical/bacteriological sample submitted to Department? Yes	ed
S mitted Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . X . Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC X 4 ABS 7 Fiberglass Threaded Blank casing diameter	ed
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cernent 9 Other (specify below) Welded	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC x 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in. to 93 ft., Dia in. to ft., Dia in. to Casing height above land surface 14 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR. 26 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC x 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut x 11 None (open	fi
Blank casing diameter 5 in. to 93 ft., Dia in. to ft., Dia in. to Casing height above land surface 14 in., weight 160 lbs./ft. Wall thickness or gauge No. SDR. 26 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC x 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut x 11 None (open	fi
Casing height above land surface	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut x 11 None (open	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut x 11 None (open	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	hole)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From	
From	
From ft. to ft., From ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement X 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From ft. to ft., From	
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water	
1 Septic tank X 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify belo	ow)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? SW How many feet? Over 100	
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
0 14 o/ earth & clay	
14 34 0 5 dry sand	
34 67 d/brown clay	
67 85 o l 4 sandy clay	
85 90 7 fine sand	
90 103 \$\Phi\$ coarse sand	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction	
completed on (mo/day/year)	
vompleted on (mo/day/year)	
Completed on (mo/day/year)	ief. Kansa
completed on (mo/day/year)	ef. Kansa