WATER	WELL R	ECORD	Form W	WC-5	Divi	sion of Wate	r Resources App. N	o. L	
1 LOCATION OF WATER WELL:			Fraction	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Township No.	Range Number	
	y: PRATT		NW 1/2 NE 1/2 NE			4 3	T 2728S	R 13 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here									
1 "			owner's address, check	Latitud	le:	140 160	(in decimal degrees)		
602 EAST 1ST, PRATT, KS 67124						Longitude: 98.73160 (in decimal degrees) Elevation: 1881.90			
l					Datum:	UIIYX	4, 🔲 NAD 83, 🔲	NAD 27	
	ER WELL O		BER			on Method:	,, 🗀 05, 🗀		
							ke/M <u>od</u> el:)	
City,	State, ZIP Co	ie : TOPEK	A. KS 66612-1367					c Map, 🚺 Land Survey	
Est. Accuracy:									
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 55.0 ft.								
	WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1).~45.0								
	WELL'S STATIC WATER LEVEL. 46.25ft. below land surface measured on mo/day/yr								
	Pump test data: Well water wasft. after hours pumping gpm								
	EST. YIELDgpm. Well water wasft. after hours pumping gpm								
Bore Hole Diameter									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
SW SE Doinestic Feedlot On field water supply Dewatering Other (Specify below)									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected?									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .2 in. to .40.0									
Casing height above land surface4.20									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
From									
Grout Intervals: From .1									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site									
			pit				,		
FROM	TO TOIL WEIL	LITHOLOG		FROM	TO TO			JGGING INTERVALS	
	1 ASH				~		(com,) or I L	- Como Millier Millo	
	, ,,,,,	Y, SILTY					***************************************		
			FINE TO COARSE						
		D, FINE TO COAL						, 11 11 11 11 11 11 11 11 11 11 11 11 11	
		Y, SILTY					MW28		
31		Y, SANDY							
41	55 SAN	D, FINE TO MED	UM						
		·	·						
				 		···			
H CONTRA OTTO DISCORDA AND ON DEPENDING OF DEPENDING AND									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega}\) constructed, \(\sqrt{\omega}\) reconstructed, or \(\sqrt{\omega}\) plugged under my jurisdiction and was completed on (mo/day/year) .10/08/20.14 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 12/19/2014									
under the	raici Well CC hisinese non	ne of Coranco Gi	reat Plains, Inc.	A SECT A CIL V	hv (ei	gnature)	The Cincolary year	W. T. Commercial Comme	
under the business name ofCoranco Great Plains, Inc									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									