WATER WEI	LL RECORD	Form W	WC-5		Vater Resources App. N	To.
		Fraction			r Township No.	Range Number
County: PRA	\TT	NE 14 NE 14 NE				R 13 DE 7W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here .				Latitude: .37.64579 (in decimal degrees)		
602 EAST 1ST, PRATT, KS 67124				Longitude: 98.73129 (in decimal degrees) Elevation: 1881.38		
			Datum: WGS 84, NAD 83, NAD 27			
2 WATER W		BER		Collection Meth	od:	
RR#, Street Address, Box #: 1000 SW JACKSON STSTE.#410				GPS unit (Make/Model:)		
City, State, ZIP Code : TOPEKA, KS 66612-1367			☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey			
Est. Accuracy:						
WITH AN "Y" IN 4 DEPTH OF COMPLETED WELL, 55.0						
SECTION BOX: Depth(s) Groundwater Encountered (1).745.0						
N WELL'S STATIC WATER LEVEL. 45.70ft. below land surface measured on mo/day/yr						
Pump test data: Well water wasft. after hours pumping gpm						
EST. YIELDgpm. Well water wasft. after hours pumping gpm						
W E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
swsE						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
mile Water well disinfected? Yes No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .2						
Casing height above land surface3.96 in., Weight						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From40						
From						
GRAVEL PACK INTERVALS: From38						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals:			***********	11. 10	. II., FIOIII	11. 10
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site Direction from well						
	n well					
FROM TO	LITHOLOG	31C 1.00	FROM	TO LITHO	J. LUG (cont.) or PL	UGGING INTERVALS
0 1 21.5	ASPHALT CLAY, SILTY		 			
21.5 23	SAND&GRAVEL 1/8",	FINE TO COAPSE	 			
23 27	SANDAGRAVEL 1/0.					
27 29	CLAY, SILTY		 		MW25)
29 42	CLAY, SANDY	· · · · · · · · · · · · · · · · · · ·				
42 55	SAND, FINE TO MED	IUM, ODOR				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .10/02/20.14 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 12/10/2014						
under the business name ofCorango Great Plains, Inc						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						