WATER WELL RECORD Form WWC-5 Division o						vision of Wate	r Resources App. N	0.	
1		OF WATER WELL:	Fraction			on Number	Township No.	Range Number	
	ty: Prat		SW ¼ SE ¼ SE			34	T 27 S	R 13 □E 🗹 W	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
602 East 1st, Pratt, KS 67124						Longitude: 98.73219 (in decimal degrees)			
002 Edst 13t, 11dtt, 100 07 124						Elevation: 1881.61			
2 WATER WELL OWNER: KDHE - BER						Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
RR#, Street Address, Box #: 1000 SW Jackson. Suite 410						Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Topeka, KS 66612-1367					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Est. Accuracy:									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 57.5 ft.								
SECT	TION BO	Description of the Depth(s) Groundwater Encountered (1).45							
	N	WELL'S STATIC WATER LEVEL. NM ft. below land surface measured on mo/day/yr							
'	Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm								
W - NW NE - EST. YIELD									
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☑ Injection well									
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded 1 Threaded									
Casing diameter .2									
Casing height above land surface11.64									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
	GRAV	EL PACK INTERVALS	From 52	ft. to ft. to57.5		ii., r rom	π. በ	το π.	
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Grout Intervals: From .1									
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel					age Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well LUST Site Direction from well									
FROM	T	LITHOLOG		FROM	TO			JGGING INTERVALS	
0	1	Concrete					<u> </u>	JOSH O HITEKTIES	
1	16.5	Silty High Plasticity Cla							
16.5	27	Fine to Medium Sand/S				ASW13	10051000		
27 43	43 57.5	Silty Low Plasticity Cla Fine to Medium Sand/S				KDHE ID#	0051808		
43	37.3	Tille to Mediam Sand/C	544		-1		****		

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .7/16/15 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 9/15/15 under the business name of									
under th	e busine	ss name of Coranco Gr	eat Plains, Inc		by (s	signature)	M	·····	
INSTRU	UTIONS: Kansas De	Use typewriter or ball point per epartment of Health and Environ	n. <i>PLEASE PRESS FIRML</i>) ment, Bureau of Water. Geo	and <u>PRINT</u> of logy Section	tearly. Ple 1000 SW	ease fill in blank Jackson St. Suit	e 420. Topeka Kansa	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									