WATER WELL RECORD			Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Pratt			Fraction SW ¼ SE ¼ SE	1/4 SW 1/4		n Number 34	Township No. T 27 S	Range Number R 13 ☐E ☑W	
		ress of Well Location; i		Global	Positioning	System (GPS) in	formation:		
		n or intersection: If at o		Latitude: .37,64610(in decimal degrees)					
602 East 1st, Pratt, KS 67124					Longitude: 98.73204 (in decimal degrees)				
	•	•		Elevation: 1881.17					
2 WATER WELL OWNER: KDHE - BER						Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 1000 SW Jackson. Suite 410					GPS unit (Make/Model:)				
G' G G G G G			KS 66612-1367		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Est. Accuracy:								5-15 m, ∐ >15 m	
		IN "X" IN 4 DEPTH OF COMPLETED WELL 50 ft.							
	ION BOX:	Depth(s) Groundwater Encountered (1).45							
	N   WELL'S STATIC WATER LEVEL								
	Pump test data: Well water was								
	EST. YIELDgpm. Well water wasft. after hours pumpinggpm								
W	Bore Hole Diameter 10.25								
	D D tie D D tie D D Oil Sald system symmly D Dougstoring D Other (Smooth below)								
SW	Irrigation Industrial Domestic-lawn & garden Monitoring well Soil Vent								
<u> </u>	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
	S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Glamped Welded Threaded									
Casing diameter .4. in. to .45. ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface7.2									
TYPE OF SCREEN OR PERFORATION MATERIAL:         □ Steel       □ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter    Key punched    Wire wrapped    Saw cut    Other (specify)									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other									
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
	Sewer lines	Cesspool	Sewage lagoon [	goon  Fuel storage  Abandoned water well					
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well LUST Site									
		vell						LOOD TO DIMEDIAL O	
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO, L	OG (cont.) or PL	UGGING INTERVALS	
1		oncrete	WCH						
14		ilty High Plasticity Cla ine to Medium Sand/S				SVE8			
26		ilty Low Plasticity Cla					# 0051818		
41		ine to Medium Sand/S				TOTAL IDA	7 000 10 10		
			VIII.						
TO COMPANY OF A SUPPLY OF THE									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \sqrt{2} \) constructed, \( \sqrt{2} \) reconstructed, or \( \sqrt{2} \) plugged									
under my jurisdiction and was completed on (mo/day/year) .7/39/15									
under the business name of Coranço Great Plains, Inc. by (signature)									
INSTRU	CTIONS: U	se typewriter or ball point per	n. PLEASE PRESS FIRMLY	and PRINT c	early. Ple	ase fill in blank	s and check the correct	t answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									