WATER WELL REC	CORD	Form W	WC-5	Division	n of Water	r Resources App.	No. 20	16452
1 LOCATION OF WA County:		Fraction . 1/5E1/Nu	145E 14	Section N	umber	Township No.		umber □E Y W
Street/Rural Address of	f Well Location;	if unknown, distance &				System (GPS)	information:	
from nearest town or in	ntersection: If at	owner's address, check	here .	Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
2N454 in	fratt 6	West		1 ~				mal degrees)
ON 1		- 110 21	٠			4, □ NAD 83, [
2 WATER WELL OW	The second	Calleria Markada						
RR#, Street Address,	Box #: /00 .	5. Main S	uiteso:	GPS u		ce/Model:		
City, State, ZIP Code	Wich	ita, KS				oto, ☐ Topograp 3 m, ☐ 3-5 m, [
3 LOCATE WELL			10					
WITH AN "X" IN	4 DEPTH OF COMPLETED WELL ft.							
SECTION BOX: N	Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr. 7.13.12							
	WELL SSIAT	test data: Well wate	r was	ft. afte	r	hours put	mping	gnm
NW NE	EST. YIELD.		r was	ft. after	r	hours pu	mping	
W E		neterin. to						
		TO BE USED AS:				othermal [
□ Domestic □ Feedlot ☑ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
mile		nfected? Yes 🗌						
5 TYPE OF CASING U	SED: Stee	l V PVC 🗆 (Other			••••		
CASING JOINTS:	Glued Clai	mped \square Welded	l inreaded					
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Steel Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Other (specify) ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From I.O.O. ft. to ft., From ft. to ft.								
SCREEN-PERFORATE	D INTERVALS:	From 100	ît. to	O ft.,	From	fi	t. to	ft.
· ·		From	ft. to <u></u> .	ft.,	From	f	t. to	ft.
GRAVEL PAC	X INTERVALS:	From. 100						
6 GROUT MATERIAL	: Neat cem	Froment				I		
Grout Intervals: From		o ft., From	2.0	ft. to				
What is the nearest source					,		20. 00 11111	
Septic tank			Livestock p		secticide		ther (specify l	below)
☐ Sewer lines ☐ Watertight sewer l	☐ Cesspool		☐ Fuel storag ☐ Fertilizer st		bandoned il well/ga	l water well		
					_			
FROM TO	LITHOLOG	JIC LOG	FROM	TO LI		OG (cont.) or PL	UGGING IN	NTERVALS
0 12 51	nesand		100	54	San	A.		
	, <u> </u>	lay	54 -	-3	Beni	onite		
62 95 Jang	13 Ochve	W/Few STreets						
95 100 yell	out the	resign				.1		
								
				\$				
7 CONTRACTOR'S Ol under my jurisdiction and	R LANDOWNE	R'S CERTIFICATE	N: This water	er well was	_ constr	ucted, \square recons	structed, or	[plugged
under my jurisdiction and Kansas Water Well Control	was completed of	on (mp)day/year)		iu this record	ı is true t	to the pest of my	knownedge	and belief
under the business name								· · · · · · · · · · · · · · · · · · ·
INSTRUCTIONS: Use typew	riter or ball soint per	n. <u>PLEASE PRESS FIRML</u>	and PRINT cle	arly. Please fil	ll in b lanks	s and check the con	rect inswers. S	end three copies
(white, blue, pink) to Kansas I Telephone 785-296-5524. See								
http://www.kdheks.gov/waterw		O WINDIX WING	One 101 y		100			
KSA 82a-1212								