

1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number		
County: Pratt		C E₂ 1/4 NE 1/4 NW 1/4	5	T 27 S	R 14W E/W		
Distance and direction from nearest town or city? 4 S, 1/2 W of Byers, Kansas			Street address of well if located within city?				
2 WATER WELL OWNER: H-30 Drilling							
RR#, St. Address, Box #: 251 N. Water, Suite 10							
City, State, ZIP Code: Wichita, Kansas 67202							
Board of Agriculture, Division of Water Resources Application Number: Unknown							
3 DEPTH OF COMPLETED WELL: 80 ft. Bore Hole Diameter: 8 in. to 80 ft., and in. to ft.							
Well Water to be used as:							
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well		
2 Irrigation		4 Industrial	6 <u>Oil field water supply</u>	9 Dewatering	12 Other (Specify below)		
		7 Lawn and garden only	10 Observation well				
Well's static water level: 35 ft. below land surface measured on 12 month 4 day 1980 year							
Pump Test Data: 60 gpm: Well water was ft. after hours pumping. gpm							
Est. Yield: 60 gpm: Well water was ft. after hours pumping. gpm							
4 TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: <u>Glued</u> Clamped		
2 <u>PVC</u>		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded		
			7 Fiberglass		Threaded		
Blank casing dia: 5 in. to 60 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface: 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No Sch. 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)		
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)		
Screen or Perforation Openings Are:							
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)		
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes			
			7 Torch cut	10 Other (specify)			
Screen-Perforation Dia: 5 in. to ft., Dia in. to ft., Dia in. to ft.							
Screen-Perforated Intervals: From 60 ft. to 80 ft., From ft. to ft., From ft. to ft.							
Gravel Pack Intervals: From 10 ft. to 80 ft., From ft. to ft., From ft. to ft.							
5 GROUT MATERIAL:							
1 Neat cement		2 Cement grout	3 <u>Bentonite</u>	4 Other			
Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well		
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 <u>Oil well/Gas well</u>		
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)		
				13 Watertight sewer lines			
Direction from well: North How many feet 60 ? Water Well Disinfected? Yes No							
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes No							
If Yes: Pump Manufacturer's name Model No. HP Volts							
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.							
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other							
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 12 month 4 day 1980 year							
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186							
This Water Well Record was completed on 1 month 20 day 1981 year under the business name of Kellys Water Well Service by (signature) Kelly Price							
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	55	Clay			
		55	80	Gravel			
ELEVATION: Unknown							
Depth(s) Groundwater Encountered 1. 35 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)							

OFFICE USE ONLY

T

27

R

14

27

SEC.

5

CE 1/2 1/4 NE 1/4 NW 1/4

1/4