

CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)

County: Pratt

Location listed as:

Section-Township-Range: _____

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____

Location ~~changed to~~:

5-27 S-15W

NE NE SW

Other changes: Initial statements: Well water to be used as: Domestic

Changed to: Monitoring

Comments: _____

verification method: Personal communication from Brownie Wilson
(KGS' Hydro. Dept. data & web manager)

initials: DRK date: 4/18/2011

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 COUNTY: 076 PRATT NE 1/4 NE 1/4 SW 1/4 5 T 27 S R 15 W

Distance and direction from nearest town or city street address of well if located within city?

6 N. 5 W. OF PRATT, KS. Callison

2 WATER WELL OWNER: G.W.M.D. #5 # 353

RR#, St. Address, Box #: P.O. BOX 7

Board of Agriculture, Division of Water Resources

City, State, ZIP code : STAFFORD, KS 67578-

Application Number:

3 LOCATE WELL'S LOCATION WITH
 AN "X" IN SECTION BOX: Well # 3

1	NW	NE
M		
i	W	E
l	X	
e	SW	SE

4 DEPTH OF COMPLETED WELL 95 ELEVATION: 0
 Depth(s) Groundwater Encountered 1. 46 ft. 2. 0 ft. 3. 0 ft.

WELL'S STATIC WATER LEVEL 46 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm

Estimated Yield 0 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm

Bore Hole Diameter 7.75 in. to 95 ft., and in. to 0 ft.

WELL WATER TO BE USED AS: 01 DOMESTIC

Was a chemical/bacteriological sample submitted to department? No ;

If yes, mo/day/yr sample was submitted

Water well disinfected? Yes

5 TYPE OF BLANK CASING USED: 02 PVC

CASING JOINTS: GLUED

Blank casing diameter 4 in. to 85 ft., Dia in. to 0 ft., Dia in. to 0 ft.

Casing height above land surface 12 in., weight 0 lbs/ft. Wall thickness or gauge No. 26

TYPE OF SCREEN OR PERFORATION MATERIAL: 07 PVC

SCREEN OR PERFORATION OPENINGS ARE: 08 SAW CUT

SCREEN PERFORATED INTERVALS: From 85 ft. to 95 ft., From 0 ft. to 0 ft.

From 0 ft. to 0 ft., From 0 ft. to 0 ft.

GRAVEL PACK INTERVALS: From 95 ft. to 22 ft., From 0 ft. to 0 ft.

From 0 ft. to 0 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL 03 BENTONITE

Grout Intervals: From 2 ft. to 22 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.

What is the nearest source of possible contamination: CATTLE PASTURE

Direction from well? ALL

How many feet? 3

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	14	SILT & SAND			
14	40	TAN CLAY			
40	50	05 SAND AND 17 GRAVEL			
50	61	TAN CLAY			
61	95	05 SAND AND 17 GRAVEL			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 3-2-96 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 224

This Water Well Record was completed on (mo/day/yr) 03/08/96

under the business name of CARL HAYSE WATER WELL SVC

by (signature)

Carl Hayse