


1 LOCATION OF WATERWELL: County: <u>Pratt</u>	Fraction <u>SW 1/4 SW 1/4 SE 1/4</u>	Section Number <u>7</u>	Township Number <u>T 27 S</u>	Range Number <u>R 15 E/W</u>
--	--------------------------------------	-------------------------	-------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?

5N 5W Cullison, KS

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code : <u>Eric Smith Rt 1 Box 88 Macksville, KS 67557</u>	Board of Agriculture, Division of Water Resources Application Number:
--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">  </div>	4 DEPTH OF COMPLETED WELL <u>92</u> ft. ELEVATION: <u>44</u> ft. Depth(s) Groundwater Encountered <u>1</u> ft. 2 <u>44</u> ft. 3 <u>5-12-05</u> ft. WELL'S STATIC WATER LEVEL <u>44</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>50</u> gpm: Well water was <u>50</u> ft. after <u>50</u> hours pumping <u>50</u> gpm Est. Yield <u>50</u> gpm: Well water was <u>50</u> ft. after <u>50</u> hours pumping <u>50</u> gpm WELL WATER TO BE USED AS: 1 <u>Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u> </u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u> </u> No <u> </u>
---	--

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 <u>PVC</u> 4 <u>ABS</u> Blank casing diameter <u>5</u> in. to <u>83</u> ft., Dia <u>160#</u> in. to <u>160#</u> lbs./ft. Wall thickness or gauge No. <u>160#</u> Casing height above land surface <u>24</u> in., weight <u>160#</u> lbs./ft. Wall thickness or gauge No. <u>160#</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 <u>PVC</u> 10 Asbestos-Cement 2 Brass 4 Galvanized Steel 6 Concrete tile 8 <u>RMP (SR)</u> 11 Other (Specify) <u> </u> 9 <u>ABS</u> 12 None used (open hole)	CASING JOINTS: Glued <u>X</u> Clamped <u> </u> Welded <u> </u> Threaded <u> </u> SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) <u> </u> ft. SCREEN-PERFORATED INTERVALS: From <u>83</u> ft. to <u>92</u> ft. From <u> </u> ft. to <u> </u> ft. GRAVEL PACK INTERVALS: From <u>23</u> ft. to <u>40</u> ft. From <u>45</u> ft. to <u>92</u> ft.
---	--

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u> </u> Grout Intervals: From <u>3</u> ft. to <u>23</u> ft. From <u>40</u> ft. to <u>45</u> ft. From <u> </u> ft. to <u> </u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) <u>Well plugged</u> Direction from well? <u>East</u> How many feet? <u>20'</u>	
---	--

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Sandy Soil			
2	5	Fine sand			
5	14	Brown Clay and fine sand			
14	18	Fine sand			
18	33	Tan Clay			
33	35	Fine sand			
35	52	Brown Clay			
52	57	Fine sand			
55	92	Clean Sand some Med			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-12-05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>140</u> This Water Well Record was completed on (mo/day/yr) <u>5-24-05</u> under the business name of <u>Lyman's Inc</u> by (signature) <u>W. Lyman</u>	
---	--