195 8220 WATER WELL R	ECORD	Form WWC-	5	Division o	of Water	Resources; App. No.		
1 LOCATION OF WATER WELL: County: Pratt			JF 1/4	Section Nu	ımber	Township Number	Range Number R 15 E W	
	eet address of well if located		Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 37.732613					
2 WATED WELL OWNED, Distributed:					Longitude: -98.904084			
2 WATER WELL OWNER: Dick Hemphill RR#, St. Address, Box # : 70333 NW 70th St.				Elevation: Unknown Datum: NAD83				
City, State, ZIP Code : Pratt, KS 67124				Data Collection Method: WAAS GPS Unit				
3 LOCATE WELL' LOCATION								
WITH AN "X" IN	Depth(s) Groundwater	Encountered (1)	<u> </u>	ft. (2) ft. (3) ft,				
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) WELL'S STATIC WATER LEVEL 38.67 ft. below land surface measured on mo/day/yr. 10-26								
Pump test data: Well water was Not checked ft. after hour Est. Yield Unknown gpm: Well water was ft. after hour							gpm	
NWNE								
wNWNE	•	O BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify belo						
2 Irrigation 4 Industrial 7 Domestic (lawn & garden)						itoring well	Stock	
SWSE	Was a chemical/bacter							
	1							
S Sample was submitted Water well disinfected? Yes No 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Steel 3 R	RMP (SR) 6 Ashesto	s-Cement 9 Othe	er (sneci	fy helow)		Welded		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	ABS 7 Fibergla	ss	or (speci	ly below)		Threade	d	
Blank casing diameter	5 in. to 86	ft., Diameter		in. to	ft.,	Diameter	in. to ft.	
Casing height above la	ABS 7 Fibergla 5 in. to 86 and surface 24	in., weight 2.	36	lbs./ft. Wa	ll thick	ness or gauge No.	.214	
T TYPE OF SUREEN O	IK PEKPUKATION MATE	PIAI:						
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFO	RATION OPENINGS ARE	3:			•			
1 Continuous sl	ot (3) Mill slot 5	Gauzed wrapped 7	Forch cut	9 Dril	led holes	s 11 None (open ho	ole)	
2 Louvered shut	tter 4 Key punched 6	Wire wrapped 8	Saw Cut	10 Othe	er (Speci	fy)		
SCREEN-PERFORATED INTERVALS: From 80 II. 10) II., I	rom From	II. to	II.	
GRAVEL PACK INTERVALS: From 25 ft. to					rom	ft to	ft.	
SCREEN-PERFORATED INTERVALS: From 86 ft. to 96 ft., From ft. to From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 25 ft. to 100 ft., From ft. to From ft. to ft., From ft. to						ft.		
6 GROUT MATERI				4)Other				
Grout Intervals:	From ft. to	ft., From		ft. to	f	t., From 0	ft. to 25 ft.	
Grout Intervals: From ft. to ft., From ft., Fr								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							,	
3 Watertight sewer lin	es 6 Seepage pit 9	Feedyard 12	2 Fertiliz	er Storage	15 Oil v	well/gas well	None known	
Direction from well?			low man			DI VIGORIO DI	NEDALL I G	
FROM TO 3 T	LITHOLOGIC LC opsoil	OG	FROM	ТО		PLUGGING INT	ERVALS	
	clay, brown, sandy, soft							
	lay, tan, hard							
	lay, white and brown, ha							
	lay, tan, hard, with sand							
	clay, white, hard, with sai							
	and and gravel, coarse to lay, white, hard	o line, clean						
	and and gravel, coarse	o fine, clean						
	clay, brown, hard							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-26-07 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Con							10-31-07	
Under the business name	of Clarke Well & Equip	ment, Inc.	by ((signature)	(an	ul W. Clark		
INSTRUCTIONS: Use type	ewriter or ball point pen. PLEASE	PRESS FIRMLY and PRINT c	learly. Ple	ease fill in blan	ks, underl	ine or circle the correct a	nswers. Send top three	
	nt of Health and Environment, Bu WATER WELL OWNER and re						2-1367. Telephone	