OCATION OF Wunty: Datance and direction			LL RECORD	1 2	5 KSA 82a	·	li i and han	Dance Mumber
anty: Datance and direction		Fraction 1/2	1/	i i	ection Number	Township N	_	Range Number
ance and unecli	nty: Pratt S' ance and direction from nearest town or city sti		s of well if locate	od within city?	4	J T 27	3	I R 15 EM
(C 47)		or only subble address	S SI HOII II IOCALE	- main ony:				
	of Hopewell	nsas Fish &	. Cama Ca	mmiaci	'n			
VATER WELL C			dame Co	IIIII1SS10	11	Board of	Agriculturo (	Division of Water Resour
St. Address, E			(24.01)				•	DIVISION OF WATER RESOUR
State, ZIP Cod	e : Pre	att, Kan <b>aa</b> s	67124	1.01		Application	ii ivuiliber.	
N "X" IN SECTI								
!	T I W							
NW -	NE	Pump test	data: Well wat	er was	ft. at	ter	. hours pu	mping g
NW -	-   E	st. Yield 1.00	gpm: Well wat	er was	ft. at	ter	. hours pu	mping g
l i	l Bo	ore Hole Diameter	<b>1</b> , 0 in. to	1.01		and	in.	to
w	T i 'w	ELL WATER TO BE	USED AS:	5 Public wa	ter supply	8 Air conditioning	g 11	Injection well
1 54	! !	Domestic X	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12	Other (Specify below)
sw -	- 35	2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Observation w	ell	
lx i	l I w	las a chemical/bacter	riological sample	submitted to I	Department? Ye	sNo	x; If yes,	mo/day/yr sample was s
	ş m	itted			Wa	er Well Disinfect	ed? Yes	x No
YPE OF BLANK	CASING USED:	5 W	rought iron	8 Cond	rete tile	CASING JO	INTS: Glued	i 💥 Clamped
1 Steel	3 RMP (SR)	6 A	sbestos-Cement	9 Othe	r (specify below	<i>(</i> )	Weld	ed
2 PVC X	4 ABS							ided
nk casing diamet	er 5 in.	. to 91 · · · ·	. ft., Dia	in. t	0	ft., Dia		in. to
ing height above	and surface2	24 in., v	weight	16.0	lbs./	ft. Wall thickness	or gauge N	oSDR .26
'E OF SCREEN	OR PERFORATION	MATERIAL:		7 P	VC X	10 As	bestos-ceme	nt
1 Steel	3 Stainless st	teel 5 Fi	5 Fiberglass 8 RMP (SR)			11 Other (specify)		
2 Brass	4 Galvanized	I steel 6 C			BS	12 No	ne used (op	en hole)
REEN OR PERF	ORATION OPENINGS	ARE:	5 Gau	zed wrapped		8 Saw cut X	•	11 None (open hole)
1 Continuous	slot 3 Mill s	slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered sh	nutter 4 Key	punched	7 Torc	h cut		10 Other (specif	fy)	
REEN-PERFOR/	ATED INTERVALS:	From 91	ft. to .	1.91 .	ft., Fror	n	ft. t	0
	IAL: 1 Neat cen		ment grout	3 Ben	tonite 4			
ut Intervals: F	rom 0 ft.	to 1.Q	ft., From	ft.	to	ft., From .	<b>.</b>	ft. to
at is the nearest	source of possible co	ntamination:			10 Livest	ock pens		bandoned water well
1 Septic tank	4 Lateral		7 Pit privy		11 Fuel:			il well/Gas well
2 Sewer lines	•		8 Sewage lag	goon		zer storage	16 O	ther (specify below)
•	ewer lines 6 Seepage	e pit	9 Feedyard			ticide storage		• • • • • • • • • • • • • • • • • • •
ection from well?	none	LITUOI 0010 L00		- FROM		ny feet? past		ll with tank
ROM TO		LITHOLOGIC LOG		FROM	ТО		LITHOLOG	IC LUG
0 4	earth							
71. L Q	brown cla	•						
<del>4</del>   •	fine brow							
8 28	coarse sa	nd						
28 45					1			
28 45 45 60	gyp clay							
28 45								
28 45 45 60	gyp clay	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla coarse sa	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla coarse sa	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla coarse sa	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla coarse sa	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla coarse sa	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla coarse sa	a <b>y</b>						
28 45 45 60 60 65 65 100	gyp clay sandy cla coarse sa	a <b>y</b>						
28 45 45 60 60 65 65 100 100 101	gyp clay sandy cla coarse sa clay sor LANDOWNER'S	and  CERTIFICATION: 1						ler my jurisdiction and v
28 45 45 60 60 65 65 100 100 101	gyp clay sandy cla coarse sa clay sor LANDOWNER'S	and  CERTIFICATION: 1						
28 45 45 60 60 65 65 100 100 101 CONTRACTOR'S	sandy elay coarse sa clay s or LANDOWNER'S ay/year) 6-29-	and  CERTIFICATION: 1-82			and this reco	rd is true to the b	est of my kn	owledge and belief. Kan
28 45 45 60 60 65 65 100 100 101 CONTRACTOR'S apleted on (mo/d er Well Contract	sandy elay coarse sa clay  S OR LANDOWNER'S ay/year) 6-29- tor's License No	c CERTIFICATION: 1-82	This Water V	Vell Record w	and this reco	rd is true to the bon (mo/day/yr) .	est of my kn	owledge and belief. Kan
28 45 45 60 60 65 65 100 100 101  CONTRACTOR'S pleted on (mo/d er Well Contracter the business TRUCTIONS: Use	sandy elay coarse se clay  S OR LANDOWNER'S ay/year) 6+29- tor's License No name of Hank Ese typewriter or ball poi	certification: 1-82	This Water V	Well Record w	and this reco ras completed of by (signatory). Please fill in	rd is true to the bon (mo/day/yr) . ure) blanks, underlin	est of my known 6 - 2	owledge and belief. Kans 3-82 · · · · · · · · · · · · · · · · · · ·
28 45 45 60 60 65 65 100 100 101  CONTRACTOR'S pleted on (mo/d er Well Contracter the business TRUCTIONS: Use copies to Kans	sandy elay coarse se clay  S OR LANDOWNER'S ay/year) 6+29- tor's License No name of Hank Ese typewriter or ball poi	certification: 1-82	This Water V	Well Record w	and this reco ras completed of by (signatory). Please fill in	rd is true to the bon (mo/day/yr) . ure) blanks, underlin	est of my known 6 - 2	owledge and belief. Kan