		WATER WELL REC	CORD For	m WWC-5		2a-1212		
LOCATION OF W		raction		- 1	on Number			Range Number
county:	PRATT	NE 1/4 SW city street address of we	I if located wi	thin city?	5	1 7 27	S	R /5 EW
istance and direction	50.63		ULLISO		<i>]_</i>			
WATER WELL O		Ld Smith	AULISC	$2\mu_{j}\kappa$, S			
WATER WELL O R#, St. Address, B		la smith				Board of A	riculture F	Division of Water Resources
ity, State, ZIP Code		sville Kansas	67557				-	<i>32,63</i> 3
LOCATE WELL'S	LOCATION WITH A D	EPTH OF COMPLETED	WELL	140	# FLEV	/ATION:	1101112	
AN "X" IN SECTION	ON BOX:	h(s) Groundwater Encour	ntered 1	20	. II. ELEY	2	ft 3	
	N WEI	L'S STATIC WATER LE	VFI 30	ft he	low land s	urface measured on	mo/day/vr	NOV 5 80
i		Pump test data:	Well water wa	35	5 ft	after /	hours our	mping 860 apm
 X	- NE Est.	Yield 18.00 . apm:	Well water wa	as 44	ft.	after	hours pur	mping $.860$ gpm mping $/2.00$ gpm
	Bore	Hole Diameter. 30	in. to	140		. and	in.	toft.
w 		L WATER TO BE USED		ublic water				njection well
1	1 1 1 1	Domestic 3 Fee		il field wate		-	12 (Other (Specify below)
sw	SE	Irrigation 4 Indu	ıstrial 7 L	awn and ga	rden only	10 Observation we		
		, .	al sample subn	nitted to Dep	partment?	YesNo. 🗴	; If yes,	mo/day/yr sample was sub
	s mitte	d			V	Vater Well Disinfected	l? Yes 🗶	. No
TYPE OF BLANK	CASING USED:	5 Wrought	iron	8 Concret	e tile	CASING JOH	NTS: Glued	Clamped
Steel	3 RMP (SR)	6 Asbestos	-Cement	9 Other (s	specify be	low)	Welde	ed . 📈
2 PVC	4 ABS	7 Fiberglas	s				Threa	ded
lank casing diamete	er /.6in. to	ft., Di						n. to ft.
asing height above	land surface	in., weight .	37.	• 7	lb	s./ft. Wall thickness o	r gauge No) . 1 . 8
YPE OF SCREEN	OR PERFORATION MA	TERIAL:		7 PVC	;	10 Asbe	estos-ceme	nt
Steel	3 Stainless stee	5 Fiberglas	S	8 RMF	(SR)	11 Othe	r (specify)	
2 Brass	4 Galvanized ste	eel 6 Concrete	tile	9 ABS		12 None	e used (ope	en hole)
CREEN OR PERFO	DRATION OPENINGS A		5 Gauzed v	• •		8 Saw cut		11 None (open hole)
1 Continuous s	\sim		6 Wire wrap	•		9 Drilled holes		
2 Louvered shi	• • • • • • • • • • • • • • • • • • • •	01	7 Torch cut	111				
CREEN-PERFORA		rom 7. 2						o
00015)
GHAVEL P)
GROUT MATERIA		rom // ut 2 Cement gr	ft. to	3 Benton) ft.
•	_	, <u>, , , , , , , , , , , , , , , , , , </u>		•				. ft. to
	source of possible conta	•	0111			estock pens		pandoned water well
1 Septic tank	4 Lateral line		t privv			el storage		
2 Sewer lines	5 Cess pool		wage lagoon			tilizer storage		ther (specify below)
	wer lines 6 Seepage p		edyard			ecticide storage		VONE
Direction from well?						any feet?		
FROM TO	Li	THOLOGIC LOG		FROM	ТО		ITHOLOG	C LOG
0 2	Sandy soil							
2 5	Sand, fine							
5 30	Clay, white a	nd tan						
30 40	Sand, fine to	coarse and med	gravel			7.0460		
40 52	Clay, brown a	nd sandy						
52 80	1 '	and coarse grav	el					
80 92	Clay, brown	V-70-						A Section of the sect
92 105	•	coarse and coa	rse					W-14
	gravel							
		coarse and coar		L				
		nd tan with cal						
-	1 *	coarse and med	gravel				····	
201 210	Shale, red							
					•			
CONTRACTOR'S	OR LANDOWNER'S C	ERTIFICATION: This wa						er my jurisdiction and was
ompleted on (mo/da	ıy/year) 	80						wledge and belief. Kansas
	-	32 <i>5</i> This						0.8/
der the business r	ame of Central We	11 & Pump Inc.	Pratt,Kar	2886	by (sign	nature) Han	omic	u
								correct answers. Send top Send one to WATER WELL
WNER and retain	one for your records.	LITTIOIIIIOIII, DIVISIUII	51 E1141101111161	, בווייוסוווו		ogy cocion, ropeka,		SOLIG SHE TO TAKE EN TVELL