

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Pratt		SW 1/4 SE 1/4 NW 1/4	5	T 27 S	R 15 E
Distance and direction from nearest town or city street address of well if located within city? 5 1/2 S 1/4 E OF HOPEWELL, KS					
2 WATER WELL OWNER: F W A Drilling Company					
RR#, St. Address, Box # : Box 970		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Yukon, Oklahoma 73099		Lease: Smith PP3		Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION:			
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered 1. 35 ft. 2. . ft. 3. . ft.			
		WELL'S STATIC WATER LEVEL 29 ft. below land surface measured on mo/day/yr 22 Nov. 82			
		Pump test data: Well water was . ft. after . hours pumping . gpm			
		Est. Yield 100 gpm: Well water was . ft. after . hours pumping . gpm			
Bore Hole Diameter 10 in. to 80 ft., and . in. to . ft.		WELL WATER TO BE USED AS:			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		5 Public water supply 8 Air conditioning 11 Injection well			
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well					
Was a chemical/bacteriological sample submitted to Department? Yes. . No. X .; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued X Clamped .	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded .	
		7 Fiberglass		Threaded .	
Blank casing diameter 5 in. to 60 ft., Dia . in. to . ft., Dia . in. to . ft.					
Casing height above land surface 12 in., weight . lbs./ft. Wall thickness or gauge No. 214					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		10 Asbestos-cement		11 Other (specify) .	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)		6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) .					
SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From . ft. to . ft.					
GRAVEL PACK INTERVALS: From 10 ft. to 80 ft., From . ft. to . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other .					
Grout Intervals: From 0 ft. to 10 ft., From . ft. to . ft., From . ft. to . ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)		NONE			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Sandy top soil			
2	10	Sand, very fine to fine to coarse			
10	35	Clay, dark brown			
35	40	Sand, fine to coarse and fine to med gravel			
40	55	Clay, brown and tan with fine sand			
55	80	Sand, fine to coarse and fine to coarse to very coarse gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 22 NOV 82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 325 This Water Well Record was completed on (mo/day/yr) 13 Jan 83 under the business name of Central Well & Pump Inc. by (signature) <i>[Signature]</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

27

R

15

EW

SEC.

5

SW 1/4

SE 1/4

NW 1/4