


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Pratt	$\frac{1}{4}$ $\frac{1}{4}$ C NE $\frac{1}{4}$	25	T 27 S	R 15 E (W)

Distance and direction from nearest town or city street address of well if located within city?

2 3/4 N 1/4 W OF CULLISON, KS

2 WATER WELL OWNER: Charles Grigsby	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: R. B. 4	Application Number: 34,792
City, State, ZIP Code: Pratt, Kansas 67124	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 182 ft. ELEVATION: 83 ft.
	Depth(s) Groundwater Encountered 1. 81 ft. 2. 61 ft. 3. 13 MAY 83 ft.
	WELL'S STATIC WATER LEVEL 61 ft. below land surface measured on mo/day/yr
	Pump test data: Well water was 76 ft. after 1 hours pumping 1000 gpm
	Est. Yield 78 gpm Well water was 78 ft. after 1 hours pumping 1200 gpm
	Bore Hole Diameter 30 in. to 182 ft., and 182 in. to 182 ft.
	WELL WATER TO BE USED AS:
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
	Was a chemical/bacteriological sample submitted to Department? Yes X No X If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped X
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 16 in. to 110 ft., Dia			11 Other (specify)
Casing height above land surface 12 in., weight 188 lbs./ft. Wall thickness or gauge No. 188			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Steel	3 Stainless steel	6 Wire wrapped	9 Drilled holes
2 Brass	4 Galvanized steel	7 Torch cut	10 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot		
2 Louvered shutter	4 Key punched		
SCREEN-PERFORATED INTERVALS:	From 110 ft. to 182 ft.	From 182 ft. to 182 ft.	From 182 ft. to 182 ft.
GRAVEL PACK INTERVALS:	From 10 ft. to 182 ft.	From 182 ft. to 182 ft.	From 182 ft. to 182 ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 10 ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	11 Fuel storage	15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	12 Fertilizer storage	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	13 Insecticide storage	NONE	
Direction from well?				

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Soil, top			
2	60	Clay, green and gray			
60	81	Clay, tan			
81	90	Sand, fine and tan clay mixed			
90	101	Clay, brown			
101	145	Sand, fine to coarse and fine to coarse gravel			
145	166	Sand, fine to coarse and med to coarse gravel			
166	169	Clay, tan			
169	182	Sand, fine to coarse and med to coarse gravel			
182	192	Clay, tan			
192	206	Sand, fine to coarse and fine gravel			
206	220	Clay, red and white			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 13 MAY 83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 325 This Water Well Record was completed on (mo/day/yr) 27 Jun 83 under the business name of Central Well & Pump Inc. by (signature) [Signature]
--

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.