

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

29,443

1 LOCATION OF WATER WELL:

County: Kiowa

Fraction NE 1/4 SW 1/4 SW 1/4

Section Number 1

Township Number T 27 S

Range Number R 16 E W

Distance and direction from nearest town or city street address of well if located within city? Approximately 5 3/4 miles south and 1 1/2 miles west of Hopewell

Global Positioning Systems (decimal degrees, min. of 4 digits)

Latitude: 37.720165

Longitude: -99.027738

Elevation: Unknown

Datum: NAD83


Data Collection Method: WAAS GPS Unit

2 WATER WELL OWNER: Helen Ballantine Healy

RR#, St. Address, Box # : 13 Hampton Rd.

City, State, ZIP Code : Wichita, KS 67207

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL

180 ft.

Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.

WELL'S STATIC WATER LEVEL 55 ft. below land surface measured on mo/day/yr 03-28-07

Pump test data: Well water was Not checked ft. after hours pumping gpm

Est. Yield Unknown gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

(2) Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No (checked) If yes, mo/day/yr

Sample was submitted

Water well disinfected? Yes No (checked)

5 TYPE OF CASING USED:

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)

(2) PVC 4 ABS 7 Fiberglass

CASING JOINTS: Glued (checked) Clamped

Welded

Threaded

Blank casing diameter 16 in. to 99 ft., Diameter in. to ft., Diameter in. to ft.

Casing height above land surface 12 in., weight 19.75 lbs./ft. Wall thickness or gauge No. .616

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless Steel 5 Fiberglass (7) PVC 9 ABS 11 Other (Specify)

2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot (3) Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)

2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify)

SCREEN-PERFORATED INTERVALS: From 99 ft. to 179 ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 24 ft. to 90 ft., From ft. to ft.

From 90 ft. to 183 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat Cement (2) Cement grout 3 Bentonite 4 Other

Grout Intervals: From ft. to ft., From 0 ft. to 24 ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage (16) Other (specify below)

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well None known

Direction from well?

How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows describe soil layers from 0 to 183 feet depth.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged

under my jurisdiction and was completed on (mo/day/year) 03-28-07 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 4-3-07

Under the business name of Clarke Well & Equipment, Inc.

by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.