WATER WELL		WWC-5		ision of Wate	1 20100.00		
Original Record LOCATION OF		ge in Well Use Fraction		ources App. Notion Numbe	···	ge Number	
County: Kiowa	WAIEN WELL:	14 NE 14 SW 1	1	21		E W	
WELL OWNER:	Last Name Banta	First: Clair		·	where well is located (if unknown, o		
Business:		7.11.01.			intersection): If at owner's address, cl		
Address: 302 E lo	wa Ave		4N Groensburg, XS				
Address:	ura State: KS	ZIP: 67054	•		30007		
City: Greensh LOCATE WELL			40=				
WITH "X" IN		MPLETED WELL:		, ,			
SECTION BOX:	r Encountered: 1)	/.V ft.					
2)							
below land surface, measured on (mo-day-y				. Source	GPS (unit make/model:)		
NW NE		e, measured on (mo-day			(WAAS enabled? ☐ Yes ☐ No		
		water was		— = · = · · · · · · · · · · · · · · · ·			
V 		rs pumping		Online Mapper:			
SW SE	1	water wasrs puniping					
	Estimated Yield:8				6 Elevation:ft. ☐ Ground Level ☐ TOO		
S		in. to	ft. and Source: Land Survey GPS Topograp				
mile		in. to	ft.		☐ Other		
WELL WATER T	O BE USED AS:						
. Domestic:		ater Supply: well ID			Field Water Supply: lease .Frank-		
Household		ing: how many wells?		11. Test Hole: well ID			
☐ Lawn & Garden ☐ Livestock	7. ☐ Aquifer Recharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?			
. Irrigation		ital Remediation: well I			a) Closed Loop Horizontal Vertical		
. Feedlot	☐ Air Spar			b) Open Loop Surface Discharge Inj. of Water			
. 🔲 Industrial	☐ Recover				ner (specify):		
Vas a chemical/bact	eriological sample sub	mitted to KDHE?	Yes No	If yes, date	sample was submitted:		
Vater well disinfected			· · -	,	F		
TYPE OF CASING	G USED: Steel P	VC Other	CASI	NG JOINTS	☐ Glued ☐ Clamped ☐ Welded	Threaded	
Casing diameter5.	in. to 107 f	., Diameter	. in. to	ft., Diam	eter in. to ft.		
	I surface		lbs./ft.	Wall thick	ness or gauge No		
	R PERFORATION MA				(0.10)		
	inless Steel				er (Specify)		
	Ivanized Steel		used (open hol	e)			
Continuous Slot			orch Cut III	Orilled Holes	Other (Specify)		
☐ Louvered Shutter	☐ Key Punched ☐	Wire Wrapped 🔳 S	aw Cut 🔲 🛚	None (Open H	ole)		
CREEN-PERFORA	ΓED INTERVALS: Fro	om .87 ft. to .107	ft., From .	ft. to	ft., From ft. to .	ft.	
					ft., From ft. to .	ft.	
GROUT MATER	AL: Neat cement	🗌 Cement grout 🛮 🗷 B	entonite 🔲 (Other	ft. to ft.		
		ft., From	. ft. to	ft., From	ft. to ft.		
Nearest source of possi	ble contamination: Lateral Lin	nes		Livestock Pe	ns 🔲 Insecticide Storage		
Sewer Lines	☐ Cess Pool			Fuel Storage		Vell	
☐ Watertight Sewer I				Fertilizer Sto		• • • • • • • • • • • • • • • • • • • •	
☐ Other (Specify)							
Direction from well? . S	outhwest	Distance from v	vell?1.25				
0 FROM TO		OGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING	i INTERVAL	
0 20	top sand				Stadio - Delli O		
20 45 45 106	clay				Sterling Drilling Company O Box 1006		
45 106 06 107	sand and gravel clay				Pratt, KS 67124	· · · · · · · · · · · · · · · · · · ·	
JO 107	ciay		+	 	1att, NO 07 124		
			Notes:				
Tives.					Original Returned to Ser		
					for Correction	Detai	
1 CONTRACTOR	S OR LANDOWNER	'S CERTIFICATIO	N: This wate	r well was 🎚	🛮 constructed, 🔛 reconstructed, c	or 🔛 plugger	
inder my jurisdiction	and was completed on (mo-day-year) .05/08/	1.5 and	this record i	s true to the best of my knowledg	e and belief.	
ansas Water Well Co	ontractor's License No.	.199 This W	ater Well Red	cord was con	npleted on (mo-day-year) .06/.02/	.t ɔ	
Mail 1 white copy s	long with a fee of \$5.00 for e	ach constructed well to Ka	nsas Departmen	t of Health and	Environment, Bureau of Water, GWTS Se	ection	
	-		•		ne for your records. Telephone 785-296-5	-	
	ks.gov/waterwell/index.html		KSA 82a-12			1/20/2015	