WATER WELL RECORD Form WWC-5 Division of Water	
☑ Original Record ☐ Correction ☐ Change in Well Use Resources App. No. Well ID	
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Num	iber
County: Kiowa 4SE 4NE 4NE 4 ZZ T 27 S R/8 DE	
2 WELL OWNER: Last Name: Dirks First: MAK Street or Rural Address where well is located (if unknown, distance Business:	
direction from Realest town of intersection). If at owner 8 address, check in	re: 🔲
Address:	24,12
City: Greensburg State: KS ZIP: 67054 Well on west side of 33 4 pue.	
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 138 ft. 5 Latitude:	degrees)
WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered: 1)	
N 2)	NAD 27
WELL'S STATIC WATER LEVEL:ft. Source for Latitude/Longitude:	
□ below land surface, measured on (mo-day-yr)□ GPS (unit make/model:)
- NW NE	
W B after hours pumping	
Well water was ft.	
attor	птос І
S Bore Hole Diameter: 10.36 in. to 138 ft. and Source: Land Survey GPS Topograp	
1 mile Other	
7 WELL WATER TO BE USED AS:	
1. Domestic: 5. Public Water Supply: well ID	
Household 6. Dewatering: how many wells? 11. Test Hole: well ID	
☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnical	
Sellivestock 8. Monitoring: well ID	i
3. Feedlot Air Sparge Soil Vapor Extraction b) Open Loop Surface Discharge Inj. of	Water
4. Industrial Recovery Injection 13. Other (specify):	
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:	
Water well disinfected? X Yes No	
8 TYPE OF CASING USED: Steel M PVC Other CASING JOINTS: M Glued Clamped Welded T	readed
8 TYPE OF CASING USED: Steel PVC Other	
Casing height above land surface	
TYPE OF SCREEN OR PERFORATION MATERIAL:	
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ Steel ☐ Concrete tile ☐ None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)	
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)	
SCREEN-PERFORATED INTERVALS: From 138 ft. to 118 ft., From ft. to	ft.
GRAVEL PACK INTERVALS: From 138 ft. to	ft.
9 GROUT MATERIAL: Nest cement Cement grout Bentonite Other Grout Intervals: From	•••
Nearest source of possible contamination:	
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage	
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well	
Direction from well? Distance from well? ft.	
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTE	RVALS
8 44 Tan Clay	
44 108 Fine Tan Sand	
108 130 Corarse Sand & grave	
130 138 Fine The Sand	
138 140 TAM Clay	
Notes:	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or	higged
under my jurisdiction and was completed on (mo-day-year) 29.7.7 and this record is true to the best of my knowledge and	belief
Kansas Water Well Contractor's License No. 6.7.7 This Water Well Record was completed on (morday-year)	/.7
Kansas Water Well Contractor's License No. 67.7. This Water Well Record was completed on (morday-year)	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	