BR	ENSI	19"8" 4	WATER	SE NAM R WELL RECORI	E D Form W	WC-5 KSA 8	32a-1212				
		TER WELL:	Fraction		. 101111 11	Section Numb		Number	Ran	ge Num	ber
	CIOW				NE 14		T 27	S	R	19	●W
istance ar			n or city street ad			•	•				
10	Ur	134 N +3	14W+4	15 OF	GREE	NS huk	(G				
WATER	WELL OW		T PETR								
R#. St. A	ddress, Bo	x#: 10	9 E. WI	11:44		•	Board of	Agriculture,	Division of	Water F	Resource
	ZIP Code	110%	HITAK	MARKE	1.7201			n Number:			
		OCATION WITH	1 DEDTU OF OC	MOLETED WE	in	, , , ,	VATION:				
AN "X" I	N SECTIO										
_							t. 2				
	ł	!					surface measured o				
	- NW	NE					. after				
	1		Est. Yield	gpm: Well	water was .	ft	. after	. hours pu	mping		gpm
w L	1		Bore Hole Diamet	ter ir	n. to		t., and	ir	n. to		ft.
w [-	1	1	WELL WATER *		5 Public	water supply	8 Air conditionin	g 11	Injection v	vell	
	1	!	1 Domestic	S Feedlot	6 Oil fiel	d water supply	9 Dewatering	12	Other (Spe	ecify belo	ow)
-	- 2M	3t	2 Irrigation	4 Industria	7 Lawn	and garden only	10 Observation w	ell			
	i		Was a chemical/ba	acteriological san			YesNo		s. mo/dav/vi	r sample	was sub
<u> </u>	· · · · · · · · · · · · · · · · · · ·	<u> </u>	mitted	<b>G</b>			Water Well Disinfect		· -	No	
TYPE O	F BLANK (	CASING USED:		5 Wrought iron	8.0	oncrete tile	CASING JO				
		3 RMP (SR		6 Asbestos-Cen		Other (specify be			ded	•	
1 Ster	-	•					•				
		4 ABS		7 Fiberglass					aded		
							ft., Dia				
				<b>a</b> , weight	_		os./ft. Wall thickness				
YPE OF S	CREEN O	R PERFORATION			•	7 PVC	10 As	bestos-cem	ent		
1 Ste	el	3 Stainless	steel	5 Fiberglass	i	RMP (SR)	11 Ot	her (specify	)		
2 Bra	ss	4 Galvanize	ed steel	6 Concrete tile	!	9 ABS	12 No	ne used (o <sub>l</sub>	oen hole)		
CREEN C	R PERFO	RATION OPENING	GS ARE:	5 (	Gauzed wrapp	ed	8 Saw cut		11 None	(open h	nole)
1 Cor	itinuous slo	t 3 Mil	ll slot	6 1	Wire wrapped		9 Drilled holes				
2 Lou	vered shut	ter 4 Ke	ey punched	7	Torch cut		10 Other (speci	fy)		<i>.</i>	
CREEN-P	ERFORAT	ED INTERVALS:	From\$	80' ft.	to ! !	? <i>O.</i> ' ft., F	rom	ft.	to		ft.
			From	ft,	to	ft F	rom	ft.	to		ft.
G	RAVFI PA	CK INTERVALS:	From	5' ft	to 10	O' fi F	rom	ft	to		ft
_			From		to	ft F					ft.
GROUT	MATERIAL	.: 1 Neat co		Cement grout		Bentonite	4 Other				
rout Interv			ft. to 15	ft From	,		ft., From .				
		ource of possible of		11., 110111 .							
_		•		7 Dit maio			•				en
•	1 Septic tank 4 Lateral lines			7 Pit privy 8 Sewage lagoon			el storage		Dil well/Gas		
2 Sewer lines 5 Cess pool			•	_	_		12 Fertilizer storage 16 Other (specify below)				<b>v</b> )
3 Wa	tertight sev	ver lines 6 Seepa	age pit	9 Feedya	ard		secticide storage				
irection from							many feet?				····
FROM	<u>TO</u>		LITHOLOGIC L	_OG	FRC	м то		LITHOLOG	SIC LOG		
100	58	SANDIGE	AVE   fi	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·			
		,									
58	53	CEME	nt Gro	ut		·					
53	<b>B</b> 8	JANDA	GRAVEL	#111							
			7								
<b>30</b> 8	3	C. EMF	NT GROC	u.t							
		0 27 7 27	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<b>-</b>							
			<i>L</i>	1100	01						
		Casing	, cuty	4.03.1			-				
		velous	grown	d les	ee		ļ				
		andre	moved	-cop.	,						
		placed	con top	of class	ng ,						
		plugged	Lwellie	scred a	ver ge						
		to grace	and leve	el u/su		elts + cl	ay				
CONTR	ACTOR'S	OR LANDOWNER	'S CERTIFICATIO	ON: This water w	- //			plugged:un	der mv iuri	sdiction	and was
moletad :	on (mo/day	(vear) 7-1	3-83	J. T. III WALE! W		and this re	econstructed, or (3) ecord is true to the b	est of my kr	nowledge a	nd helief	Kanese
•		• '	134					ear or my Kr	iowieuge a	ing peliel	. Nansas
		's License No		<b>.</b> .	A '		ed on (mo/day/y) .	ر د سے	- n - 1		
ider the b	usiness na	me of ABER	CROM bil	E UTION	AN CO	by (sig	nature) 200 ill in blanks, underlin	n Sirala di	ces.	DOWOTO '	Sond to-
							ill in blanks, underlin blogy Section, Topek				
		ne for your records		on, Division of El		omiomai dec	g, 0000011, 10pek	_, 1.5 00020			