		WATER			KSA 82a	,		
LOCATION OF WA		Fraction	SE ¼ SE		tion Number 36	Township N		Range Number R 19W E/W
unty: Kiowa		yp or city street ad	SE 1/4 SE dress of well if located			T 21	<u> </u>	R 17M E/W
	N of Green			With in City.				
	NNER: Abercr							
	$0 \times # : 801 Un$		- <del></del> -6			Board of A	Aariculture. [	Division of Water Resour
	: Wichit		67202			Application	-	
OCATE WELL'S I	OCATION WITH	4 DEPTH OF CO	MPLETED WELL 12	7	ft FIFVA	<sub>TION</sub> Unkn	.OWn	
AN "X" IN SECTIO	N BOX:	Denth(s) Groundw	vater Encountered 1.	.33	ft. 2	2	ft. 3	
Ī		WELL'S STATIC	WATER LEVEL	33. ft. b	elow land sur	face measured or	mo/day/yr	6/18/81 <sup>f</sup>
	1 1 1							mping gr
NW	NE	Est. Yield . 60	gpm: Well water	was	ft. a	fter	. hours pu	mping gr
		Bore Hole Diamet	er\$in. to .	127		and	in.	. to
w !	! ! !	WELL WATER TO				8 Air conditioning		
w	SE	1 Domestic						Other (Specify below)
	, v	2 Irrigation						
!	<u> </u>		acteriological sample s	ubmitted to D				mo/day/yr sample was s
	<del></del>	mitted				ter Well Disinfecte		
TYPE OF BLANK					ete tile			d Clamped
1 Steel	3 RMP (SF		6 Asbestos-Cement		`			ed
2 PVC	4 ABS		7 Fiberglass					aded
								o. Sch. 40
	IANO SUNACE DR PERFORATION		ın., weignit ~	7 PV			or gauge in	
1 Steel	3 Stainless		5 Fiberglass		MP (SR)			
2 Brass			6 Concrete tile	9 AB			ne used (op	
	RATION OPENING			d wrapped		8 Saw cut	4000 (0)	11 None (open hole)
1 Continuous sl		ill slot		rapped		9 Drilled holes		(
2 Louvered shu		ey punched	7 Torch	• •		10 Other (specifi	v)	
REEN-PERFORAT								
	ED INTERVALS:	From	107 ft. to		127	m , , , , , , , , , , , , , , , , , , ,	ft. to	o
ALLINI ENI ONA	ED INTERVALS:					m	ft. to	o
	ACK INTERVALS:					m	ft. to	o
			10		127 .ft., From	m	ft. to	o o
GRAVEL PA	ACK INTERVALS:	From From From		3_Bento	.ft., From 127 ft., From ft., From ponite 4	m	ft. to	o
GRAVEL PA	ACK INTERVALS:	From From From		3_Bento	.ft., From 127 ft., From ft., From ponite 4	m	ft. to	o o o
GRAVEL PAGE OF THE STATE OF THE	ACK INTERVALS:	From From From tement 2 ft. to10 contamination:	10 ft. to ft.	3 Bento	127 .ft., From ft., From ft., From tt., From tt., From tt., I to	m	ft. to	oooo
GRAVEL PARTIES OF THE	ACK INTERVALS:  IL: 1 Neat com	From From  ement 2 ft. to10 contamination: al lines	ft. to  10 ft. to ft. to Ce Cement grout ft., From 7 Pit privy	3 Bento		mm mm Otherttc, From tock pens storage	ft. to	ooo
GRAVEL PAGE OF THE	ACK INTERVALS:  IL: 1 Neat com	From From  ement 2 ft. to10 contamination: al lines pool	ft. to  10 ft. to ft. to Ce Cement grout ft., From 7 Pit privy 8 Sewage lago	3 Bento		m	ft. to	oooo
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set	ACK INTERVALS:  IL: 1 Neat com	From From  ement 2 ft. to10 contamination: al lines pool	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	3 Bento		mm  Othertock pens storage izer storage ticide storage	ft. to	ooo
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser	ACK INTERVALS:  IL: 1 Neat com	From	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. tobandoned water well  il well/Gas well  tther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO	ACK INTERVALS:  1 Neat com  cource of possible 4 Latera 5 Cess wer lines 6 Seepa	From From  ement 2 ft. to10 contamination: al lines pool	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 Bento		mm  Othertock pens storage izer storage ticide storage	ft. to	oo  ft. tobandoned water well  il well/Gas well  tther (specify below)
GRAVEL PA GROUT MATERIA Out Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. tobandoned water well  il well/Gas well  tther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO	ACK INTERVALS:  1 Neat com	From	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA Out Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro tat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro tat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA Out Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA Out Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro tat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22	ACK INTERVALS:  1 Neat com	From From  From  Sement 2  ft. to10  contamination: al lines pool age pit  LITHOLOGIC L	ft. to  10 ft. to  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lago 9 Feedyard  East	3 <u>Bento</u> ft.		mm  Othertock pens storage izer storage ticide storage	14 A	oo  ft. to  bandoned water well  well/Gas well  ther (specify below)
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 22 22 127	ACK INTERVALS:  1 Neat com	From	ft. to  ft. to  ft. to  Cement grout  ft., From  Pit privy Sewage lago Feedyard  Fast  OG	3 Bento ft.	ft., From tt., F	mm Othertock pens storage ticide storage my feet? 60	14 Al 15 O 16 O LITHOLOG	oo  ft. to bandoned water well il well/Gas well ther (specify below)
GRAVEL PA GROUT MATERIA Out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22 22 127  CONTRACTOR'S	ACK INTERVALS:  L: 1 Neat com	From From Sement 2 ft. to 10	to	3 Bento ft.	ft., From ft., F	m	14 Al 15 O 16 O O O O O O O O O O O O O O O O O	oo. oo ft. to bandoned water well iii well/Gas well ther (specify below)  IIC LOG
GRAVEL PA GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22 22 127  CONTRACTOR'S npleted on (mo/dat	ACK INTERVALS:  1 Neat com()	From From Sement 2 ft. to10 contamination: al lines pool age pit  LITHOLOGIC L  and Gravel  A'S CERTIFICATION 81	to	3 Bento ft.	ft., From tt., F	m	14 Al 15 O 16 O LITHOLOG	oo  ft. to bandoned water well il well/Gas well ther (specify below)  IC LOG
GRAVEL PA GROUT MATERIA but Intervals: Fro lat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 22 22 127  CONTRACTOR'S impleted on (mo/day iter Well Contractor ider the business in	Clay Sand a  OR LANDOWNEF  by/year) . 6/18/  r's License No.  ame of Kelly	From	2 Cement grout 10 ft. to 11 ft. to 12 Cement grout 15 ft., From 16 From 17 Pit privy 18 Sewage lago 19 Feedyard 15 Ft. st. 10 ft. to 10 ft. to 11 ft. to 12 Cement grout 13 Ft. to 14 Ft. to 15 Ft. to 16 Ft. to 17 Ft. to 18 Sewage lago 19 Feedyard 10 Ft. st. 10 Ft. to 10 Ft. to 11 Ft. to 12 Ft. to 13 Ft. to 14 Ft. to 15 Ft. to 16 Ft. to 17 Ft. to 18 Ft. to 18 Ft. to 19 Ft. to 19 Ft. to 10 Ft. to 10 Ft. to 10 Ft. to 11 Ft. to 12 Ft. to 13 Ft. to 14 Ft. to 15 Ft. to 16 Ft. to 17 Ft. to 18 Ft. to 19 Ft. to 19 Ft. to 19 Ft. to 10 Ft. to	3 Bento ft.  on  FROM  as (1) constru	127 ft., From tt., From tt	onstructed, or (3) pard is true to the beon (mo/day/yr)ture)	14 AA 15 O 16 O  LITHOLOG  Dlugged underst of my known.	oo. oo ft. to bandoned water well iii well/Gas well ther (specify below)  IIC LOG