WATER WELL RECORD			Form W	WC-5	Di	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		t t	Section Number Township		Range Number		
County: Kiowa			1/4 NE 1/4 NE			32 T 27 S R 19 □E ☑V			
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								nformation:	
from nearest town or intersection: If at owner's address, check here .						Latitude: .37.659392 (in decimal degrees) Longitude: 099.423142 (in decimal degrees)			
4 1/2 North, 2 1/2 East of Mullinville						Flevation: (in decimal degrees)			
						Elevation:			
2 WATER WELL OWNER: Mildred Douglass						Collection Method:			
RR#, Street Address, Box #: 326 N 8th Street						GPS unit (Make/Model:)			
City,	, State, Z	TP Code : Towand	a, KS 67144		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL									
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 155 ft.								
SECT	TION BO								
	Pump test data: Well water wasft. after								
	EST. YIELD. WAgpm. Well water wasft. after hours pumping							ıping gpm	
W	W E Bore Hole Diameter 10 in. to .155 ft., and in. to								
WELL WATER TO BE USED AS:									
SW SE Domestic Feediot Off field water supply Dewatering Domestic Specify below)									
	Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☑ Yes ☐ No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5 in. to .155 ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface18									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								ner (specify below)	
	Sewer li					☐ Abandoned water well ☐ Oil well/gas well None			
		ht sewer lines 🔲 Seepage p n well						e	
FROM	TO	LITHOLOG	IC LOG	FROM	TO			JGGING INTERVALS	
0	3	Sandy top soil	СЕСС	113	116		ravel & med gra		
3	26	Soft, sandy clay w/ brov	wn hard clay	110	1.0	white clay		VCIW	
26	38	Gravel- small, med w/ li		116	130		nall, med, clean,	coarse	
		clay streaks		130	136	Light brow			
38	46	Sandy clay	136	145		ne to small, clean			
46	58	Gravel-fine to small w/clay streaks		145	160		n clav, white clav		
58	82	Gravel- fine to small, m			w/ caliche	streaks			
82	94	Brown clay							
94	113	Light brown clay w/ caliche streaks							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .2-29-16									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3-18-16 under the business name of Rosencrantz-Bemis Ent Inc									
INSTRUC	CTIONS	Use typewriter or ball point pen	PLEASE PRESS FIRMIS	and PRINT	Dy (S	ase fill in blanke	and check the correct	answers Send one convito	
	Kansas De	epartment of Health and Environi	nent, Bureau of Water, Geo	logy Section,	1000 SW.	Jackson St., Suite	e 420, Topeka, Kansa	ıs 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									