WATER WELI	L <b>RECORD</b>	For	m WWC-5	Division of Wa	ter Resources	; App. No.		
	OF WATER WELL:	Fraction		Section Number		p Number	Range Number	
County: SED	WICK	<b>≤W</b> 1/4	5E1/4 NW1/4	24	T 27		R 2 W E/W	
	rection from nearest town or	· .			•	_	rees, min. of 4 digits)	
located within o	wheatland	Plan		Latitude:				
2 WATER WEI	LOWNER: T. I' To	harm		Longitude: Elevation:				
RR#. St. Addre	LL OWNER: Jod; Joess, Box # : 511 N	1411-001	land	Datum:				
City, State, ZII	Code : M	WHEA.	17735	Data Collection	Method			
City, State, ZIP Code : Wich ita KS 67235 Data Collection Method:  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
LOCATION	LL 5   4 DEI III OF CO.	II LETED	WEEL		••			
WITH AN "X'	"IN Depth(s) Groundwater Encountered (1)							
SECTION BO	WELL'S STATIC WATER LEVEL30ft. below land surface measured on mo/day/yr. 5.18.114.							
N	Pump test data: Well water wasft. after hours pumping gpm							
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
W Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SW SE	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
	Sample was submitted							
Sample was submitted								
5 TYPE OF CAS	SING USED: 5 Wrough	nt Iron	8 Concrete tile	CASIN	JG IOINTS:	Glued	Clamped	
1 Steel	3 RMP (SR) 6 Asbesto	os-Cement			io jonits.		Ciamped	
	4 ABS 7 Fibergla	ass	y other (speen			Threaded		
Blank casing diam	eter <b>5</b> in. to	ft., Di	ameter	in. to ft	., Diameter		in. toft.	
Blank casing diameter 5. in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft. Wall thickness or guage No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals:			i., From	It. to	ft., From		ft. toft.	
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
l	t sewer lines 6 Seepage pit	_	~		il well/gas v			
	11?			ny feet?	_			
FROM TO	LITHOLOG		FRO			GING INT		
	Pextend	CASI 79	12"					
	· Sanitary							
	· Electric		duit					
	· Shock (	Chlorin	ate Wall					
			• •					
			wn					
5 CONTRACTO	DICOR LANDOWNERS	CEDTIFIC	ATION TO	11 /1		·	1 (2)	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 16.2.8 This Water Well Record was completed on (mo/day/year)5.7.1								
under the business name of TMParter anses by (signature)								
INSTRUCTIONS: U	se typewriter or ball point pen. PL	EASE PRESS F	FIRMLY and PRINT cle		ks. underline or	circle the	prrect answers. Send ton	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St. Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
mitp.// www.kulleks.gov	, THE COLOR MICHAEL MICHAEL							