WATER WELL RECORD Form WWC-5			Division of Water					
	Correction Change in			irces App. No.		Well ID		
1 LOCATION OF W		raction \ Co	Sect	ion Number	Township Numb			
County: Sedguick 4NW48 48W4 23 T2/S R2 ES								
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: Address: Address: City: Address: City: Business: Address: Addr								
Address: 121 S Country Viceula 121 S Cauntry Viceula City: Wichita State: 45 ZIP: 47235 Wichita, KS 67236								
City: Wic	hita State: KSY	ZIP: 107235		Wichi	ta, KS 6	67236		
3 LOCATE WELL								
WITH "X" IN								
SECTION BOX:	Depth(s) Groundwater End		Longitude:(decimal degrees)					
N		ft., or 4) [🛚 WGS 84 🔲 NAI			
	WELL'S STATIC WATE	II.	Source for Latitude/Longitude:					
	above land surface, m	r) <i>[::::::011</i>	1 - \					
NWNE	Pump test data: Well water	1)	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
W	after hours pu	pm	Online Mapper:					
	Well water was ft.			Offinite Mapper.				
SW SE	after hours pu	pm						
	Estimated Yield:	-	6 Elevation:ft. Ground Level TOC					
S	Bore Hole Diameter: in. to ft. and			Source: Land Survey GPS Topographic Map				
	1 mile in. to ft.							
7 WELL WATER TO BE USED AS:								
1. Domestic:								
-60	☐ Household 6. ☐ Dewatering: how many wells?							
Lawn & Garden								
Livestock								
3. ☐ Feedlot	2. ☐ Irrigation 9. Environmental Remediation: well ID . 3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Ex							
4. Industrial Recovery Injection			Ciraction	13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? No No No No No No No No No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
Steel Stainless Steel Fiberglass PVC Other (Specify)								
Brass Galvanized Steel Concrete tile None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well								
Watertight Sewer Lines								
Other (Specify) Direction from well? Distance from well? HITHOLOGIC DISTANCE PROMEST TO LITTLE DISTANCE PROMEST.								
10 FROM TO	LITHOLOGIC	r. Distance from we	FROM	N		r PLUGGING INTERVALS		
	100 COCI	LUG	FROM	TO LI	THO. LOG (cont.) of	PLUGGING INTERVALS		
0 1	Clara							
1. 1.			 			41 - MONTO		
10 23	med Sand.					NAME OF THE PROPERTY OF THE PR		
13 53	Clay	<u> </u>	-					
00 100	Fre Sard-	<u>Clay</u>						
29 42	Blue Sha	<u> </u>	Nota:					
			Notes:					
61 73 Bown Shale								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Moonstructed or I plugged								
under my jurisdiction and was completed on (mo-day-year)								
under my jurisdiction and was completed on (mo-day-year)								
under the business nam	e of LLRANIAGER	DAILIAR		Wisil	isties.			
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas								
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.								
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012						Revised 9/10/2012		