WATER WELL R		F orm WW Change in W			sion of Water urces App. No		Well ID
1 LOCATION OF W.		· Frac	tion \	s Sect	ion Number	Township Numb	
County: Sedon		1	1/8W 1/4)	10/4	24	T 2 1 S	R J D E W
2 WELL OWNER: La	ıst Name:	. First			al Address w	here well is located	(if unknown, distance and
Business: Pheli	05,8	acve -		lirection from n	earest town or in	ntersection): If at owner	r's address, check here:
Address: 4-114 W Valley Hi Rd							
City: Wich	1171. St	ate: KSZIP	47235				
3 LOCATE WELL	4		TED WELL: ./	120.	T		
WITH "X" IN					1		(decimal degrees)
SECTION BOX:		ntered: 1)					
N	2) ft. 3) ft., or 4) ☐ Dry WELL'S STATIC WATER LEVEL:						
	below land surface, measured on (mo-day-yr)					or Latitude/Longitude)
NWNE							
		/as ft.		☐ Land Survey ☐ Topographic Map			
W E	after	oingg		☐ Onl	ine Mapper:		
SW SE	Well water was ft. afterhours pumping gpm						
	Estimated Yie	лпg g m	gpin	6 Elevation:ft. ☐ Ground Level ☐ TOC			
S			in. to	. ft. and	Source: Land Survey GPS Topographic Map		
1 mile in. to ft.							
7 WELL WATER TO BE USED AS:							
1. Domestic:	5. 🔲 F	ublic Water Su	pply: well ID				ease
Household			w many wells?			ole: well ID	
Livestock			ge: well ID Il ID			ed Uncased U	
2. Irrigation			nediation: well ID		12. Geothermal: how many bores?		
3. Feedlot		Air Sparge	Soil Vapor E				
4. Industrial		Recovery	☐ Injection				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? M Ves. I No.							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface in. Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)							
Brass Galvanized Steel Concrete tile None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Nearest source of possible contamination:							
Septic Tank		teral Lines	☐ Pit Privy		Livestock Pen	s ☐ Insecti	cide Storage
☐ Sewer Lines		ss Pool	☐ Sewage Lag	oon 🔲	Fuel Storage	☐ Aband	oned Water Well
Watertight Sewer Lin		epage Pit	☐ Feedyard		Fertilizer Stora	ige 🔲 Oil We	ell/Gas Well
Other (Specify) Direction from well? Distance from well?							
10 FROM TO		THOLOGIC L		FROM	TO I	ft	 r PLUGGING INTERVALS
0 1	7730 SaDa		7 . G	I KOIVI	10 1	ATTIO, LOG (COIII.) 0.	LI LOGGING INTERVALS
1 20	'May						
20 30	FINE	SOM.					
38 410	13L10	Sh	le,			A PANAMA A PROPERTY	
4677	<u> </u>	ie ii					
77 81	Bon	m Sho	JC				
8) 120	Shal	<u> </u>		Notes:			
11 CONTRACTOR'S OR LANDOWNED'S CERTIFICATION. This water well was Westerneted as a subsected as a subsect of the subsect of th							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was sometimed, in reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) for the left and this record is true to the best of my knowledge and belief							
under my jurisdiction and was completed on (mo-day, year)							
under the business name of Weningkir Dnlling Lle Trains Cutter							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your goords. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html