WATE	R WEL	L RECORD	Form WV	VC-5	Div	ision of Wate	r Resources App. No),	
		OF WATER WELL:	Fraction		Sectio	n Number	Township No.	Range Number	
	ty: Seda		1/4 ° 1/4 NW			24,	T 27 S	R2 DE WW	
	Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here									
12517 W. Jennie St						Longitude: (in decimal degrees) Elevation:			
Wichita, KS 67235						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Moeder Construction						Collection Method:			
RR#, Street Address, Box #: 4700 W. Irving						GPS unit (Make/Model:)			
City, State, ZIP Code : Wichita,			KS 67209		Digital Map/Photo, Topographic Map, Land Survey				
* * ^ ^	A DESIGN WAY (SOLVE			Est. Ac	Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 110 ft.									
	TON BOX: Depth(s) Groundwater Encountered (1) 30 ft. (2) ft. (3) ft.								
	N WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr								
ГТ	Pump test data: Well water wasft. after hours pumping g								
_N v	EST. YIELD. 18gpm. Well water was							ping gpm	
w								ft.	
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
	s If yes, mo/day/yr sample was submitted								
S If yes, mo/day/yr sample was submitted									
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other									
Casing diameter .5 in. to .110 ft., Diameter ft., Diameter ft.									
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key nunched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From90									
From									
GRAVEL PACK INTERVALS: From									
Fromft. to									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
What is the nearest source of possible contamination:									
Septic tank									
Sewer lines Cesspool Sewage lagoon Fuel storage									
<u>_</u> ,L] Watertigh	nt sewer lines Seepage	pit Feedyard	Fertilizer		Oil well/g	as well		
		n well South LITHOLOG	TO LOG	FROM	TO			JGGING INTERVALS	
FROM 0	13	Topsoil	JIC LOO	FROM	10	LITIO. L	OG (Cont.) of 1 EC	JOGING INTLICATION	
3	30	Clav	· · · · · · · · · · · · · · · · · · ·		erredic				
30	38	Medium Sand	<u> </u>						
38	85	Clay		with edition was assessed to the second seco			<u>ana aman'ny teny mponina mponina ny tanàna mandritra dia </u>		
85	110	Medium Sand							
			*						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .7/7/14									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed or (mo/day/year) 7/15/2014 under the business name of Premier Pump & Well Service, Inc. by (signature)									
under th	ne busine	Use typewriter or ball point pe	n PLEASE PRESS FIRM	Yand PRINT	by (S	ease fill in blank	s and check the correct	t answers. Send one copy to	
l l	Kansas De	enartment of Health and Enviro	nment, Bureau of Water, Geo	logy Section.	1000 SW 3	Jackson St., Sui	te 420, Topeka, Kans	as 66612-136/.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdbeks.gov/waterwell/index.html									