WATER	WELL	RECORD	Form	WWC-5	Division of Wate	r Resources App. No).	
1 LOCATION OF WATER WELL:			1		Section Number	Township No.	Range Ni	
County: Sedgwick, KS 67135 1/4				SW 1/4 NE 1/4		T 27 S		□E ØW
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here \(\begin{align*} \) Global Positioning System (GPS) information: Latitude:								
			owner's address, ch	Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
14201 Mestboot					Elevation:			
Wichita, & 57235					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: WILDOW HOMES					Collection Method:			
RR#, Street Address, Bi City, State, ZIP Code Sos Easlwad					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code Andole, KS 6700)					Est. Accuracy: $\ \ \ \ \ \ \ \ \ \ \ \ \ $			
2 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60								
SECTI	SECTION BOX: Depth(s) Groundwater Encountered (1).35 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 35 ft. below land surface measured on mo/day/yr.							
ļ <u></u>	WELL'S STATIC WATER LEVEL							
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
w NW	10 . 60							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
water went distributed: 19 1 10								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .60 ft., Diameter ft., Diameter in. to ft.								
Casing height above land surface12								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., From ft. to ft. to								
					ft., From			
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From .3								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
	Sewer lines	Cesspool	1 7			d water well	cr (specify	JCIOW)
	Watertight s	ewer lines	pit Feedyard	Fertilizer st	orage 🔲 Oil well/ga			
					from well釋			
FROM	TO	LITHOLOG	JIC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	GGING II	NTERVALS
	~~~~~~~~~	ay						
40	<u>60 м</u>	edium Sand			***************************************			
<u> </u>						······································		
<b> </b>		MANAGEMENT AND THE SECOND STREET, AND THE SEC						
								CALL STATE OF THE SAME AND ADDRESS OF THE SAME ADDRESS OF THE SAME AND ADDRESS OF THE SAME AND ADDRESS OF THE SAME ADD
			directivistic management and other series of a subbrone on neutral series			the second secon		
								ACCUSED TO THE PARTY OF THE PAR
			·			ALCOHOL MANAGEMENT		Name of the Owner, which was a second or the Owner, where the Owner, which is the Own
		#####						
		'S OR LANDOWNE						
under my jurisdiction and was completed on (mo/day/year) .9/30/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/yeai) 09/30/2014								
under the business name of Premier Pump & Well Service, Inc. by (signature) NY. Well Service inc. by (signature) NY. Well								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephon	e 785-296-55	24. Send one copy to WAT	ER WELL OWNER and	d retain one for your	records. Include fee of \$	\$5.00 for each construc	ted well. Vis	it us at