	WATER WE	LL REC	ORD	Form W	WC-5 K	SA 82a-	1212			
1 LOCATION OF WATER WELL:	i de la companya de			SE	SECTION NUMBER TOWNSHIP NUM					
Sedgwick	SW 1/4	-	/4 SE	1/4	29	Т	2 7 s	R	<u>2W</u>	E/W
Distance and direction from nearest town or city			*							
2 WATER WELL OWNER: MIL	Goddar LER, Edgar	d, Kans	as							***************************************
L	N. Spring Wo	od					Board of	Agriculture, Divisio	n of Wat	er Resource
	dard, Kansas	ou .			ZIP CODE:		Application I	Number:		
THE RESIDENCE OF THE PROPERTY	DEPTH OF COMPL	ETED WEL	_L_: (63 f	MANAGEMENT OF THE PROPERTY OF THE PARTY OF T	ELEVATIO	MATERIAL PROPERTY OF THE PERSON NAMED AND POST OF THE PERSON NAMED AND POS		***************************************	K-1-1-H-1 (berest aus aus aus aus aus au
WITH AN "X" IN SECTION BOX:	pth of groundwater E				ft.		ft.			ft.
	ELL'S STATIC WAT			FT. BEI		JRFACE ME	ASURED ON m	no/dav/vr:	9/26/1	
NWNE	Pum	p test data:	Well wa	ater was		ft. after		urs of pumping	@	gpm
<u>o</u>	Est. Yield:	gpm	Well w	ater was		ft. afte	r ho	ours of pumping	@	gpm
	ore Hole Diameter	12	in.	to	63 ft	. and	in	•	to	ft.
	ELL WATER TO BE . Domestic 3. F	USED AS:			y < 7. Lawn	and garden	9. Dewat	omig	•	on well
		ndustrial	6. Oil field			nditioning		12. Otho oring well	er (Spe	cify below
1	Vas a chemical/bacterio					NO		s, what mo/day	//yr wa:	s sample
	bmitted		·			Water Well D		(YES)	NC)
TYPE OF CASING USED:	5. Wrought Ir	ron	7. Fiberglass	s 9.	Other (Specif	y below)	CASING JOINT:	S: Glued	Т	hreaded
1. Steel 3. RPM (SI	R) 6. Asbestos-		8. Concrete	C.	DR-26			Welded	(Clamped
2. PVC 4. ABS Blank casing diameter 5		3 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	_	£.
	10	13 11.,			to					ft.
Casing height above land surface: TYPE OF SCREEN OR PERFORATION	,		Weight:	2.35	lbs. / ft.	Wa	all thickness or g	auge No	214	
1. Steel 3. Stainless Steel	5. Fiberglass		7. PVC	9	ABS	11	I. Other (specify))		
2. Brass 4. Galvanized	6. Concrete Til	e	8. RMP (SR)	10	. Asbestos-Ce	ment 12	2. None used (op	en hole)		
SCREEN OR PERFORATION OPENING	GS ARE:									
1. Continuous slot 3. Mill sl		auzed wra _l	pped	7.	Torch cut	9.	Drilled holes	11. No	ne (op	en hole)
2. Louvered shutter 4. Key p	unched 6. W	ire wrappe	ed	(8.	Saw cut	10.	Other (specify)			
SCREEN - PERFORATION INTERVAL	From	43 ft		o <u>63</u>	ft.,	From	а	1.		£ı
JOCKEEN - I EN ONATION INTERVAL	From	ft		0 03	ft.,	From	ft.	to	-	ft.
GRAVEL PACK INTERVALS:	From	24 ft		to 63	ft.,	From	ft. ft.	to		ft.
GIVAVEET AGIV IIVT EIVVAEG.		ft		to						ft.
6 GROUT MATERIALS: 1 Neat	From				ft.,	From	ft. Other h e	to		ft.
Grout Intervals: From 4	cement ft. to	2. Cemei 24 ft.			3. Bentonit			entonite hol	•	•
What is the nearest source of possible of	ontamination:		, FIOIII		ft. to	ft		ft.	to	ft.
1. Septic tank 4. Lateral lines 7. Pit privy 10					ock pens	13. Ins	secticide storage 15. Oil well/Gas well			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify lines)								cify below)		
3. Watertight sewer line 6. Seepa	nge pit 9.	Feed yard		12. Fertili	zer storage		_			
Direction from well? East	1171101 0010			T =		Ho	w many feet?			
From To	LITHOLOGIC	LOG		Fron	n To	<u> </u>	LITHO	LOGIC LO	<u> </u>	····
0 3 topsoil 3 38 clay										
38 55 medium sand	d	 								
55 63 gray shale										
			·			 				
						-				***************************************
	***************************************			+			- <u>H</u> (-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-1,-			
				_		<u> </u>				

			electron parameters and the second							disconsistent
7 Contractor's or Landowner's Certif	fication: This water v	well was 1.0	construct	ed) 2.	reconstructe	ed or 3.	plugged	under my ju	risdictio	n and
was completed on (mo/day/year)	9/26/14				the best of my		and belief.			
Kansas Water Well Contractor's Licer	nse No. 226	_			was complete	_		/29/2014		
		C ·			•	on (morda				
under the business name of Harp	wen and Pun	ıp servic	e	υy	(signature)		Todd	s. Ha	<u>rp</u>	D-24/03-5/14-24/