		WATER	WELL E	RECO	IRD I	≓orm \	۸/۱۸/	C-5 K	SA 82a-1	212			
1 LOCATION OF WAT	ER WELL:	WATER WELL RECORD FOR						ON NUMBER			RANGE NUMBER		
Sedgwick		SW 1	4 NE	1/4	$\mathbf{s}\mathbf{w}$	1/4		23	Т	27 s		R 2V	V E/W
Distance and direction fro	om nearest town or city s	treet address of	well if located	d within o	city?				.4				
209 N. Fawn	wood Ct.	Wi	chita, K	ansas	<u> </u>								
2 WATER WELL	OWNER: NIES	CONSTR	UCTIO	N						David	-f &i b	Niciala a add	Matas Bassas
RR#,ST. ADDRESS		E. 21st N.								Board	of Agriculture, L	JIVISION Of \	Vater Resource
		ita, Kansas					ZIP	CODE:			n Number:		
3 LOCATE WELL'S L	OCATION 4 D	EPTH OF CO	MPLETED	WELL:	1	15	ft.		ELEVATION	l:			
N N	Dept	th of groundwa	ater Encour	ntered:			ft.			ft.			ft.
	WE	LL'S STATIC \	WATER LE	VEL	35	FT. BI	ELOW	LAND SU	IRFACE MEA	SURED ON	mo/day/yr:	12/1	1/14
-NM	- NE		Pump test	data:	Well wa				ft. after		hours of pum		gpm
w Mile		Est. Yield:	gpr			ater was	11	. .	ft. after		hours of pum		gpm
_ ×		re Hole Diame			in.	to	11	5 ft.	and		in.	to	ft.
sw		LL WATER TO Domestic	3. Feedlo		Public wa	ater supi	olv <	7. Lawn a	nd garden o	9. Dew	atering		ction well pecify below)
		Irrigation	4. Industr					8. Air con			ے، itoring well	Outer (3	pecily below)
	Wa	as a chemical/ba						YES	NO		yes, what m		-
	sub	mitted						Was V	Vater Well Dis	sinfected?	YES		NO
5 TYPE OF CA		5. Wroug	ght Iron	7.	Fiberglass	,	. Oth	er (Specify	below) C	ASING JOIN	ITS: Glued	\triangleright	Threaded
1. Steel	3. RPM (SR)	•	stos-Cemer	nt 8	Concrete	tile (SDR	-26			Welde	d	Clamped
2. PVC	4. ABS			-				4-	4	D:-			
Blank casing diamet		n. to		ft.,	Dia.	ir		to	ft.,	Dia.	in.	to	ft.
Casing height abov		12 in.,		٧	Veight:	2.35	lbs	. / ft.	Wall	thickness o	r gauge No.	.214	
1	OR PERFORATION 3. Stainless Steel	MATERIAL: 5. Fibergla	66	7 5	PVC		9. AB	8	11	Other (speci	fv)		
	Galvanized	6. Concret			RMP (SR)			estos-Cen		None used (• •		
			e me	0.1	(011)	'	U. A31	763103-0611	ioni iz.	140110 0500 (open noie)		
SCREEN OR PERFORATION OPENINGS ARE:						7	7. Torch cut 9. Drilled holes 11. None (open hol						onen hole)
1. Continuous slot 3. Mill slot 5. Gauzed wrapped					∌u	_		_				. None (open noie;
2. Louvered shutt	er 4. Key pu	nched	6. Wire wr	apped		C ₈	Saw	cut	10. O	ther (specif	y)		
SCREEN - PERFOR	ATION INTERVAL	From	45	ft.	to	11	6	ft.,	From	ft.		to	ft.
		From		ft.	to)		ft.,	From	ft.		to	ft.
GRAVEL PA	ACK INTERVALS:	From	24	ft.	t	o 11	6	ft.,	From	ft.		to	ft.
		From		ft.	t	0		ft.,	From	ft.		to	ft.
6 GROUT MATER	RIALS: 1. Neat c	ement	2 C	ement (Srout		3	Bentonite		Other 1	pentonite		
Grout Intervals:	From 4		to 24	ft.,	From		ft.	to	ft.,	From		to	Ü
What is the nearest s	source of possible cor	ntamination:				10 Live							
1. Septic tank 4. Lateral lines 7. Pit privy						10. Lives			13. Insecticide storage			15. Oil well/Gas well	
2. Sewer lines	5. Cess Po	ool	8. Sewag	je lagod	on	11. Fuel	stora	ge	14. Aba ı	ndon water	well 16.	Other (s	pecify below)
3. Watertight sew		je pit	9. Feed y	ard		12. Ferti	lizers	storage			40.0		
Direction from well? East						T ====		-	How		10 ft. plu		
From To		THOLOG	SIC LOC	<u> </u>		Fro	m	То		LITH	OLOGIC	LOG	
3 26	topsoil					+-	+						
26 28	fine sand					+-							
28 115	grey shale												
							\Box						
							\dashv						
						-	-						
	1					+	\dashv						
						+	\dashv						
							\Box						
							_						
							_						
	1					1							

12/11/2014 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. This water well record was completed on (mo/day/year) 12/12/2014 Kansas Water Well Contractor's License No. 236

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3.

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp

under my jurisdiction and

plugged