WATER WELL RECORD			Form WWC-5		Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction		Section Number		Range Number	
County: Sedgwick, KS 67135				1/4 NW 1/4	13		R Q DE WW	
						Global Positioning System (GPS) information:  Latitude:		
1109 N. Forestview					Longitude:			
Wichita, KS					Elevation:			
2 WATER WELL OWNER: Comfort Homes					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 4313 N. 119th St. W.					GPS unit (Make/Model:)			
			(S 67101		Digital Map/Photo, Topographic Map, Land Survey			
Est. Accuracy: S m, S-3 m, S-13 m, S-13 m,								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80								
SECTION ROX: Depth(s) Groundwater Encountered (1).30 ft. (2)							(3) ft.	
N WELL'S STATIC WATER LEVEL. 30 ft. below land surface measured on mo/day/yr								
Pump test data: Well water wasft. afterhours pumping							ping gpm	
1  NW NE						.ft.		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							injection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation   Industrial   Domestic-lawn & garden   Monitoring well   Was a chemical/bacteriological sample submitted to Department?   Yes   No								
S If yes, mo/day/yr sample was submitted								
mile  Water well disinfected? ✓ Yes ☐ No								
5 TYPE OF CASING USED:  Steel PVC Other								
CASING JOINTS: P Glued Clamped Welded Threaded								
Cosing diameter 5 in to 80 ft Diameter in to								
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26								
TYPE OF SCREEN OR PERFORATION MATERIAL:         ☐ Steel       ✓ PVC       ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped 🔽 Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
6 CROLT MATERIAL: Neat cement Cement grout Bentonite Other								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
	tion from we		TICL OC	. Distance FROM			UGGING INTERVALS	
FROM 0	TO 3	LITHOLOG	IIC LOG	FROM	TO LITTIC	o, Loo (cont.) or 1 Ev	SOOMO INTERVALS	
	02	Classia						
20 20		Medium Sar	d					
				<del>                                     </del>				
				<del>                                     </del>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .12/16/2014 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) .12/17/2014								
under the husiness name of Premier Pump & Well Service, Inc. by (signature) N.Y. W. V. C. Start Samuel Service, Inc.								
INSTRUCTIONS: Like typewriter or hall point nen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Goology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html								