WATER WELL RECORD	F	orm W	VC-5			Resources App. No		
1 LOCATION OF WATER WELL:	Fraction	1.7	1/ CW 1/	Sectio	n Number 11	Township No.	Range Number	
County: Sedqwick	if unknown	1/4 listance fr	1/4 SW 1/4	Globa		T 27 S	R 2 E W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
1501 N. Obsidian Ct.				Longitude: (in decimal degrees)				
Wichita, KS 67235					Elevation:			
2 WATER WELL OWNER: Comfort Homes					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 4313 N. 119th St. W.				GPS unit (Make/Model:)				
City, State, ZIP Code : Maize, KS 67101				Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SECTION BOX: Depth(s) Groundwater Encountered (1).35								
WELL'S STATIC WATER LEVEL. 35								
Pump test data: Well water was								
NW   NE	Bore Hole Diameter 10in. to .70ft., andin. toft.							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department?								
wile  Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: M Glued  Clamped  Welded  Threaded								
Casing diameter 5 in to 70 ft. Diameter in. to ft. Diameter in. to ft. Diameter in. to ft.								
Casing height above land surface12								
TYPE OF SCREEN OR PERFORATION MATERIAL:         ☐ Steel       ☐ PVC       ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch eut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS:	From49	······································	ft, to! ft. to		ft., From	II.	to ft	
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Waterlight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well South							TOODIC DITERVALC	
FROM TO LITHOLO	GIC LOG		FROM	ТО	LITHO, L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 3 Topsoil 3 40 Clay			<del> </del>					
40 50 Fine Sand								
50 70 Medium Sand								
			<del> </del>					
			<del> </del>		<b></b>	- THE		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .12/26/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238 This Water Well Record was complete from (mo/day/year), 12/29/2014 under the business name of Premier Pump & Well Service, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point p	en. PLEASE PRI	ESS FIRML	and PRINT c	learly. Ple	ease fill in blank	s and check the correc	t answers. Send one copy to	
Kansas Department of Health and Enviro	nment. Bureau of	Water, Geo	logy Section.	000 SW .	Jackson St., Suit	te 420, Topeka, Kansi	as 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a>								