			WATER W	FII R	ECO	RD F	Form	ı WW	'C-5 KS	SA 82a-	1212				
1 LOCATION Sedgy	N OF WATER	R WELL;	FRACTION NW 1/4	SE	1/4	SW	1/4	SECT	ION NUMBER		SHIP NU 27	MBER S	R.	ANGE NUM	MBER E/W
		n nearest town or city s					1/4	<u> </u>	11	I	<i>A</i> 1	<u> </u>			L/VV
14604	W. Pric		Wichita		as				MANUAL PROPERTY AND						
	R WELL C		DERGARD,	Nick								Board of Ad	riculture. Div	ision of Wa	iter Resource
RR#,ST.	ADDRESS CITY,	STATE: Wich	W. Price ita, Kansas					ZIF	CODE:			plication Nu			econfessors (IIII)
3 LOCATE	WELL'S LO	CATION 4 D	EPTH OF COM	PLETED	WELL:	7	0	ft.		ELEVATIO	N:				
I	N N	Dep	th of groundwate			25		ft.				ft.		2/2//	ft.
	1		LL'S STATIC W			35 Well wa			W LAND SU	RFACE ME ft. afte				2/24/	
	MM	NE	Est. Yield:	ımp test d gpm		Well wa				ft. afte			rs of pumpi rs of pumpi		gpm gpm
w Wije	1	E Bo	re Hole Diamete	- 4		n.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	to 7	0 ft.	and		in.		to	ft.
~			LL WATER TO I								9	. Dewate	ring	11. Inject	ion well
1	SW	1		. Feedlot					7. Lawn a			. Monitor		ther (Spe	ecify below)
l L	s		Irrigation 4 as a chemical/bacte	. Industri eriological s		Oil field vubmitted to			8. Air con	NO))		, what mo/	day/yr wa	as sample
			mitted							/ater Well D	isinfecte	ed?	YES	N	3
\sim 1		ING USED:	、 5. Wrough	t Iron	7.	Fiberglass	;	9. Ot	her (Specify	below)	CASING	JOINTS:	Glued)	Threaded
	. PVC	3. RPM (SR 4. ABS) 6. Asbesto	s-Cemen	t 8.	Concrete	tile	SDF	R-26				Welded		Clamped
	ng diamete		n. to		t.,	Dia.		in.	to	ft.,	Dia.		in.	to	ft.
	•	land surface:	12 _{in.,}		·	/eight:	2.3		s. / ft.	,		ess or ga		.214	14.
_	-	OR PERFORATION	,		**	roigiit.	ж	. ID	.s. / It.	***	an unonn	C33 OI Ga	age 140.	.414	
1. Stee	1 3	. Stainless Steel	5. Fiberglass	3	7. F	vc>		9. A	3S	11	I. Other	(specify)			
2. Bras	s 4	Galvanized	6. Concrete	Tile	8. F	RMP (SR)		10. As	sbestos-Cen	nent 12	2. None	used (ope	n hole)		
SCREEN (OR PERFC	RATION OPENING	S ARE:												
1. Contin	nuous slot	3. Mill slo	ot 5.	Gauzed	wrappe	ed		7. To:	ch cut	9.	Drilled I	noles	11.	None (or	en hole)
2. Louve	red shutte	r 4. Key pu	inched 6.	Wire wra	apped			8. Sa	v cut	10.	Other (s	specify)			
SCREEN -	PERFORA	TION INTERVAL	From	50	ft.	to	0	70	ft.,	From		ft.		to	ft.
			From		ft.	to	0		ft.,	From		ft.		to	ft.
GI	RAVEL PA	CK INTERVALS:	From	24	ft.	t	io	70	ft.,	From		ft.		to	ft.
			From		ft.	t	:0		ft.,	From		ft.		to	ft.
6 GROU	JT MATERI	ALS: 1. Neat o		2. C e	ment G	Frout		3	Bentonite		Oth	^{ner} ber	itonite h	ole plu	g
ì	ntervals:	From 4	ft. to	24	ft.,	From		ft.	to	ft	.,	From	ft.	to	ft.
1. Septio		ource of possible co 4. Lateral		7. Pit priv	⁄y		10. Li	vestoc	k pens	13. ln :	secticid	e storage	15. O	il well/G	as well
2. Sewe		5. Cess P	ool	8. Sewag	e lagoc	on	11. F	uel stoi	age	14. A k	andon	water we	16. C	ther (spe	cify below)
3. Water	tight sewe		ge pit	9. Feed y	ard		12. F	ertilizer	storage						
Direction from well? South									ı - '	Но			ft. plus		
From	<u>To</u>	1	<u> ITHOLOGI</u>	IC LOG	<u> </u>		+F	rom	То		<u>L</u>	HOL	OGIC L	UG	
3	38	topsoil clay					+								•
38	60	medium sand				1									
60	70	gray shale													
							-								
							-			***************************************					
							\bot								
			**************************************				-								
							+								

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 2/24/2015 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/25/2015 under the business name of Harp Well and Pump Service by (signature) Todd S. Harp