			WATE	R WELL F	RECORD) Fo	rm WV	/C-5 k	KSA 82a-1	212			
1 LOCATION OF WATER WELL:				FRACTION			SECT	TION NUMBE		HIP NUMBER	RANGE NUMBER		
Sedgwick Distance and direction from nearest town or city s			NE	1/4 SW	., .	SE	1/4	9	T	27 s	R	2E	E/W
1		n nearest town or merfield Ci	•		a within city? chita, Ka	neae							
- T	ER WELL C		IES CONST			11545							
	RR#,ST. ADDRESS,BOX #: 10333 E. 21st N. Ste. 303												
	CITY,	STATE: W	ichita, Kan	isas			ZI	P CODE:	67206	Application No	ımber:		
3 LOCAT	E WELL'S LC	CATION	4 DEPTH OF	COMPLETED	WELL:	85	ft.		ELEVATION	:			
WITH A	N "X" IN SEC	TION BOX:	Depth of groun	dwater Encou	ntered:		· ft.			ft.			ft.
	!	I I	WELL'S STAT	TC WATER LE	VEL 3	5 F	T. BELO	W LAND S	URFACE MEA	SURED ON mo	/day/yr:	4/10/1	5
-	- N i/	- NE		Pump test	data: W	ell water	was		ft. after	hou	rs of pumping	@	gpm
M Mile W			Est. Yield	OF.	4.4	/ell water			ft. after	hou	rs of pumping	@	gpm
\ _	1	- E	Bore Hole Dia	ameter R TO BE USEI	12 in.		to 8	13 f	t. and	in.	4.4	to	ft.
ľ.	- s₩	عادي	1. Domestic			lic wate	r supply	7. Lawn	and garden o	9. Dewate	, A	-	on well cify below)
	I	<u> </u>	2. Irrigation	4. Industi					nditioning	10. Monitor		ei (Ope	any below,
' -	s			al/bacteriological	sample submi	tted to Dep	partment?	YES	NO		, what mo/day		
E TV	DE OE CAS	ING USED:	submitted	· · · · · · · · · · · · · · · · · · ·					Water Well Dis		YES	NO	
U	r E OF CAS	3. RPM	(SR) 5. W	rought Iron	7. Fibe	rglass		ther (Specif	fy below) C	ASING JOINTS:	Glued Welded		hreaded
	2. PVC	> 4. ABS		sbestos-Cemei	nt 8. Con	crete tile	SDI	R-26			vveided	(Clamped
Blank cas	ing diamete	r 5	in.	to 40	ft., Di	ia.	in.	to	ft.,	Dia.	in. to	5	ft.
Casing h	eight above	land surface:	12	in.,	Weigh	nt: 2	.35 II	os. / ft.	Wall	thickness or gai	uge No.	214	
TYPE OF	SCREEN C	R PERFORAT	TON MATERIAL	L:						U-	•		
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)													
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)													
1		RATION OPEN											
1. Conti	nuous siot	3. M il	ll slot	5. Gauzed	wrapped		7. To	rch cut	9. D ı	rilled holes	11. No	ne (ope	en hole)
2. Louve	ered shutte	r 4. Ke	y punched	6. Wire wr	apped		8. Sa	w cut	10. O	ther (specify)			
SCREEN -	PERFORA	TION INTERVA	AL From	40	ft.	to	85	ft.,	From	ft.	to)	ft.
			From		ft.	to		ft.,	From	ft.	to	.	ft.
G	RAVEL PA	CK INTERVALS	S: From	24	ft.	to	85	ft.,	From	ft.	to)	ft.
			From		ft.	to		ft.,	From	ft.	to	3	ft.
6 GROU	JT MATERI	ALS: 1. No	eat cement	2. Ce	ement Grou	t	3	. Bentonit	e	Other ben	tonite hole	e plug	
	Intervals:	From	4 ft.	to 24		rom	ft.	to	- ft.,	From	ft.	to	ft.
I .		•	e contamination	n: 7 Pit nris	w	10.	Livestoc	k pens			15 Oil v		
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage									13. Insecticide storage 15. Oil well/Gas well 14. Abandon water well 16. Other (specify below)				
2. Sewe			ss Pool	9. Feed y	-		. Fertilizer	-	14. Abai	idon water wei	,	(0,000	,,
	rtight sewe from well?	North	epage pit	s. reeu y	alu	12.	. Feltilizei	Sicrage	How	many feet? 30	ft. plus		
From	То		LITHOL	OGIC LOC	3		From	То	1.0		OGIC LO		
0	3	tonsoil											
3	42	clây											
42	80	grey shale											
80	85	limestone							1				
													
				· • • • · · · · · · · · · · · · · · · ·					<u> </u>				
									<u> </u>				
									 				
7 Conf	motor's as !	andownada C-	difference: This	wotor well	1 (\ 0 ===		d or o	plugged	under my in	iediatie-	and
_			ertification: This					constructe		plugged	under my jur	isulction	anu
		(mo/day/year)	4/10/2					-	knowledge an		• · • • · =		
Kansas	Water Well	Contractor's Lie	cense No. 236	j j	This wa	ater well	record wa	s complete	d on (mo/day/y		3/2015		
under th	e business	name of Ha l	rp Well and	l Pump Sei	vice		by (siç	gnature)	7	odd!	S Ha	r h	