WATER WELL RECORD			Form W	WC-5	Division (Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section Nur	mber		Range Number		
County: Sedgwick			¼ NW ¼ SE					R 2 DE WW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
14000 11.1 1100 01 11101111111, 110 01 200						Elevation:			
THE STATE OF THE S						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Comfort Homes RR#, Street Address, Box #: 4313 N.119th St N						Collection Method:			
		TD C 1	119th St N	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
	, 5440, 2	maize, r	(S 67101		Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m				
3 LOCATE WELL									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 70 ft.								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).35 ft. (2)								
	Pump test data: Well water wasft. after								
	EST. YIELD.18gpm. Well water was								
W Bore Hole Diameter 10 in. to									
1 WEBE WITER TO BE OSED IIS. I woile water supply Geometrial Injection wen									
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5. in to .70. ft., Diameter in to ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)									
From									
1	GRAV	EL PACK INTERVALS:	From 20	ft. to70	ft., F	From	ft.	to ft.	
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
	the peer	From .S II. to		1	n. to	n.,	From	. ft. toft.	
What is the nearest source of possible contamination: Septic tank									
Sewer lines								(1)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Fertilizer storage ☐ Oil well/gas well Direction from well North Distance from well 40'									
FROM	TO	LITHOLOG	IC LOG	FROM				IGGING INTERVALS	
0	3	Topsoil	ic Log	IKOM	TO EIT	HO. LC	od (cont.) ot 1 Eo	GOING INTERVALS	
3	40	Clay							
40	70	Fine Sand to Medium S	and				· · · · · · · · · · · · · · · · · · ·		
				ļ					
	<u> </u>								

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .19/29/2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 10/30/2015 under the business name of Premier Pump & Well Service, Inc									
under th	e busine	ss name of Premier Pun Use typewriter or ball point pen	DEAGE PRESS EINST	Cond PRINT -	. by (signatu	re) .V.	YAXYAQ. K		
INSTRUC	LITONS: Kansas De	Use typewriter or ball point pent epartment of Health and Environn	nent, Bureau of Water, Geo	logy Section, 1	000 SW Jackson S	st., Suite	420, Topeka, Kansas	315 We18Send one copy to 366612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
			http://www.kdheks.cov	/waterwel!/inde	x html				